



2022

SPORTS equipment

COURTS | FIELDS | INDOOR



Court Nets and Accessories

CONSISTENT QUALITY:

With Douglas® nets, you get consistent, long-lasting performance. All Douglas® nets meet USTA or USAPA's requirements for official size (42' x 3'6" & 36" x 21'9"). In addition, Douglas® nets carry a pro-rated warranty guaranteeing superior durability and longer net life. See for yourself why Douglas® nets are the brand of choice. All nets include lacing cord. Center straps sold separately.

NETTING:

Netting is 1-3/4" square mesh braided solid core polyethylene unsurpassed for durability and weather resistance. Nets are made from 3.5mm with 325# break strength or from 3.0mm with 285# break strength.

HEADBANDS:

Headbands are constructed using heavy-duty vinyl coated polyester or durable polyester webbing material that withstands the elements and won't shrink, rot or mold. Headbands are sewn to the netting with four rows of #32 white polyester thread -the heaviest in the industry.

BOTTOM/SIDE POCKET TAPES:

Bottom and side pocket tapes are made of heavy-duty vinyl coated polyester and won't shrink, mildew or rot when exposed to the elements. The included 1/2" fiberglass dowels in the side pockets keep the net taut for a professional appearance. Heavy duty brass grommets and lacing cord lets you pull the net snugly up to each post.

CABLE:


All Douglas® nets come complete with a vinyl coated, 5/32" galvanized steel cable with break strength of 2300#. Both ends have double-swaged loops.

OPTIONS:

Some tennis nets have double netting on the top five rows. This allows for increased durability of the net since the top rows are the area of the net that tennis balls hit the most leading to net fatigue. Tapered nets are also available, nets are tapered in the middle for a cleaner look and increased durability.



		Headband		Netting			
Item #	Net	Material	Weight	Size	Break Strength	Top 5 Rows Double Mesh	Warranty
PROFESSIONAL TENNIS NETS - - - USA Manufactured by Douglas® - - -							
20045	TN-45	Double thick 100% polyester	48 oz	3.5 mm	325 lb.	No	5 Year Warranty
CHAMPIONSHIP TENNIS NETS							
30036T	TN-36 -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.5 mm	325 lb.	No	5 Year Warranty
30038TD	TN-36DMT -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.5 mm	325 lb.	Yes	5 Year Warranty
30060	TN-28DM	Durable Polyester Web	N/A	3.5 mm	325 lb.	Yes	5 Year Warranty
TOURNAMENT TENNIS NETS							
30029	TN-30	Vinyl Coated Polyester	32 oz./sq. yd.	3.0 mm	285 lb.	No	4 Year Warranty
30030	TN-30DM -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	Yes	4 Year Warranty
SPECIALTY TENNIS NETS							
20305	STN-36, 42" x 32'9"L Singles Tennis Net	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.5 mm	285 lb.	No	4 Year Warranty
20008	PTN-28, 32" x 21'10" Paddle Tennis Net	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
20009	PLTN-28, 36" x 23' Platform Tennis Net	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
PICKLEBALL NETS							
20105	JTN-30, 36" x 21'9"L Standard Pickleball	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
20103	PN-30, 31" x 21'9"L Shorter Pickleball Height	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
BOTTOM TAPER OPTION							
20062	All tennis nets can be bottom fit by tapering the 42" end to 36" at center. This reduces the amount the net rubs on the court surface prolonging the life of the net.						



TN-30 | Deluxe Center Strap



TN-45



TN-36



TN-28DM

Adjustable Center Straps

All straps are made from heavy-duty 2" polyester white webbing, nickel plated web slides and snaps.

Velcro (Item # 20601)
Velcro adjustment, with swivel loop bolt snap

Classic (Item # 20603)
Non-slip reverse web slide with double ended snap

Deluxe (Item # 20600)
Two non-slip reverse web slides with swivel loop bolt snap

Center Pipe Anchor
(Item # 63428)
1.9" OD Galvanized Steel



Replacement Accessories

Replacement Cables

1/4" Galvanized steel cable is vinyl coated and looped each end.

47' Tennis Cable (RVC-47) (Item # 20647)
27' Pickleball Cable (RVC-27) (Item # 20627)



Lacing Cord

(TNLC) (Item # 10338)
Tennis net lacing cord includes (2) pieces of 4 mm white polyester braided cord 4' long and (2) pieces 3 mm braided polyethylene 15' long.

Cord 3 mm (Item # 10337)
500' spool of 3 mm braided polyethylene



Replacement Snaps

Loop Snap (Item # 10601)
2" replacement loop snap

Double Snap (Item # 10604)
Double ended bolt replacement snap

Singles Sticks

(Item # 34753)
Single sticks provide proper 42" net height for singles play. These silver singles sticks are made from 3/4" aluminum with protective end caps and injection-molded "V" groove for the net headband. Sold per pair.



Douglas® Tennis Posts



○ Premier™ XS Posts


- | | | |
|-----------------------|--------------------------|-----------------|
| Plated Gears | Green (Item # 63032) | 2 1/8" |
| | Black (Item # 63034) | |
| | Open Blue (Item # 63033) | |
| Stainless Steel Gears | Green (Item # 63032SS) | Plated |
| | Black (Item # 63034SS) | |
| Brass Gears | Green (Item # 63032BR) | Stainless Steel |
| | Black (Item # 63034BR) | |

The Premier™ XS Series is the Cadillac of tennis posts; providing first-class looks and durability for both indoor and outdoor court applications.

These 2-7/8" OD round posts are constructed of 8-gauge steel. Posts feature Allied's® superior Flo-coat® galvanization process and are then finished in forest green, black or open tournament blue baked-on polyester powder coat to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation.

Posts are internally wound and feature a jam-free cable tensioning hardware system. Choose from plated steel, stainless steel or brass gears. Gear housings and caps are made of die-cast zinc. Gear function is 30:1 to ensure a smooth, easy operation. Flush mounted gear plate cover and removable handle are offered in chrome or brass finish.

- Corresponding Ground Sleeves:
- 24" PVC Ground Sleeve (GS-24PVC) (Item # 63164)
 - 24" Aluminum Ground Sleeve (GS-24RD) (Item # 63171)



○ DTP-37

Green (item # 63007)
Black (item # 63008)

3"

The dependable DTP-37 post is a sturdy design that has been a tennis court staple for decades.

These 3" OD posts are comprised of extra-heavy 7-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear function is 30:1 to ensure a smooth, easy operation. The sleek gear housing and caps are made of cast aluminum alloy. Posts are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. The side mounted removable handle is chrome plated.

- Corresponding Ground Sleeves:
- 24" Steel (GS-24) (Item # 63424)



○ Sidewinder

- | | |
|-----------------------------|-----------------------------|
| 2-7/8" Green (Item # 63001) | 3-1/2" Green (Item # 63005) |
| Black (Item # 63003) | Black (Item # 63005B) |

2 1/8" **3 1/2"**

These recreational workhorse posts are designed for tough wear making them ideal for parks or school tennis courts.

These classic external wind posts are constructed of 8 gauge steel in either 2-7/8" or 3-1/2" OD. The posts, external gears and handle are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. The aluminum deluxe reel offers a smooth adjusting operation with a side mounted removable handle.

- Corresponding Ground Sleeves:
- 2-7/8" 24" PVC (GS-24PVC) (Item # 63164)
 - 24" Aluminum (GS-24RD) (Item # 63171)



- 3-1/2" 24" Steel (GS-24) (Item # 63174)



○ Premier™ RD
Green (Item # 63050)
Black (Item # 63051)

3"

Premier™ SQ
Green (item # 63053)
Black (item # 63054)

3"

These popular posts provide classic good looks and durability for either indoor or outdoor court applications.

The Premier™ 3" OD round (RD) and 3" square (SQ) posts are constructed of heavy-duty 11-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Posts are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. Flush mounted gear plate cover and removable handle are chrome plated.



Corresponding Ground Sleeves:

24" Steel Ground Sleeve (GS-24) (Item # 63424)

24" Square Steel Ground Sleeve (GS-24SQ/ST) (Item # 63425)

24" Square Aluminum Ground Sleeve (GS-24SQ/AL) (Item # 63172)



○ Premier™ SQ Surface Mount Black (Item # 63060)
Eliminate ground sleeves and easily install these surface mount tennis posts indoor or outdoor. These surface mount posts boast all the features of the standard Premier™ SQ posts except they offer a heavy-duty bottom welded base plate to secure posts to the court's playing surface.

○ Douglas® PPS-SQ Heavy-Duty Portable Tennis Systems



42' Standard Tennis Court
42" h x 42' l PPS-42SQ (Item # 63100)

Portable PPS-SQ systems are easy-to-assemble and offer the same long-lasting features as the classic Premier™ SQ tennis post. The 3" square tennis post is constructed from heavy-duty 11-gauge steel and are internally wound featuring a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Systems are finished with black baked-on polyester powder coat to resist rust and increase durability. Heavy-duty base frame is also constructed of 11-gauge 3" square steel and 3-1/2" square 3/16" heavy-wall steel. Net easily attaches with the top cable and to an eye-bolt on the base frame; no lacing rods are needed. Systems are complete with the 3.5 mm TN-40 tennis net and a Velcro center strap. Flush mounted gear plate cover and removable handle are chrome plated.

These portable systems raise the bar and are the gold standard when permanent installation is not desired for either indoor or outdoor court applications.

Singles Tennis Courts:
42" h x 33' l, PPS-33SQ (Item # 63133)

System is available in (2) standard lengths 42' Standard Tennis and 33' Singles Tennis. Custom sizes are available up to 42' long and 42" high. The transporter features heavy-duty non-scuff swivel casters; (2) End and (1) Center caster assembly. Casters allow unit to pivot one end at a time for simpler transportability.



○ Replacement Reels

Replacement reels for external wind tennis posts. All hardware is included and handles are removable. Finished with black or green powder coat finish.



Deluxe Reel
Green (Item # 53433)
Black (Item # 53433B)
Aluminum construction with a smooth operation. Slotted to fit most posts.



Reel-1
Green (Item # 53432)
Black (Item # 53432B)
Heavy-duty steel construction with a smooth operation. Slotted to fit most posts.

○ Universal Replacement Caps

Baked on polyester powder coat finish

2-7/8" Green (Item # 53504)
Black (Item # 53504B)

3-1/2" Green (Item # 53505)
Black (Item # 53505B)



○ Ground Sleeve T-Plugs

Steel t-plugs to cover and fit into Douglas' ground sleeves. Finished with a black baked on polyester powder coat finish.



2-7/8" & 3" OD (Item # 63418)
3.5" OD (Item # 63419)
3" SQ (Item # 63420)
3.5" SQ (Item # 68155)



○ Pickleball Premier™ XS Posts

Green (Item # 63074)

Black (Item # 63075)

The Cadillac of posts is also available for pickleball court construction measuring 54" in length to sit 36" above ground. These 2-7/8" OD round posts are constructed of 8-gauge steel. Posts are internally wound and feature a jam-free cable tensioning hardware system. Plated steel gear housings and caps are made of die-cast zinc. Gear function is 30:1 to ensure a smooth, easy operation. Posts feature Allied's superior Flo-coat galvanization process and are then finished in forest green or black baked-on polyester powder coat to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. Flush mounted gear plate cover and removable handle are chrome plated. Stainless Steel and Brass gears are also available.

2 7/8"

Corresponding Ground Sleeves:

24" PVC
(GS-24PVC) (Item # 63164)

24" Aluminum
(GS-24RD) (Item # 63171)



○ Pickleball Premier™ RD Posts

Green (Item # 63070)

Black (Item # 63071)

These popular posts are designed for pickleball court construction measuring 54" in length to sit 36" above ground. The Premier™ 3" OD round (RD) posts are constructed of heavy-duty 11-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Posts are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. Gear plate cover and removable handle are chrome plated.

3"

Corresponding Ground Sleeves:

24" Steel
(GS-24) (Item # 63424)



○ Pickleball Nets

These Douglas® nets meet the USAPA's requirements for official Pickleball net sizes. Nets boast the same features as our Douglas® tennis nets and carry a 4 year warranty. Custom sizes are available.

JTN-30
36"h x 21'9"l (Item # 20105)

PN-30 -Optional shorter height
31"h x 21'9"l (Item # 20103)



○ SW-36 Deluxe Pickleball Posts

Green (Item # 63078)

Black (Item # 63079)

These recreational workhorse posts are designed for pickleball court construction measuring 54" in length to sit 36" above ground. These classic external wind posts are constructed of 8 gauge steel in 2-7/8" OD. The posts, external gears and handle are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. The aluminum deluxe reel offers a smooth adjusting operation with a side mounted removable handle.

2 7/8"

Corresponding Ground Sleeves:

24" PVC
(GS-24PVC) (Item # 63164)

24" Aluminum
(GS-24RD) (Item # 63171)



○ Pickleball Premier™ SQ Surface Mount

Black (Item # 63080)

Easily convert existing tennis courts to pickleball courts with these easy-to-install surface mount posts. These 36" high posts boast all the features of the standard Premier™ SQ posts except they offer a heavy-duty bottom welded base plate to secure posts to the playing surface. The Premier™ SQ posts are constructed of heavy-duty 11-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Posts are finished in black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. Gear plate cover and removable handle are chrome plated.



Lift assist handles are included for each end



○ Douglas[®] PPS22-SQ Portable Pickleball 36" x 22' (Item # 63122)

Portable PPS-SQ systems are easy-to-assemble and offer the same long-lasting features as the classic Premier™ SQ tennis post. The 3" square post is constructed from heavy-duty 11-gauge steel. This portable system is supported by unique flat stabilizer legs that offer a greater range of play and increases player safety. Post is internally wound and features a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Systems are finished with black baked-on polyester powder coat to resist rust and increase durability. Heavy-duty base frame is also constructed of 11-gauge 3" square steel and 3-1/2" square 3/16" heavy-wall steel. Net easily attaches with the top cable and to an eye-bolt on the base frame; no lacing rods are needed. Systems are complete with the PN-30 Pickleball net and a velcro center strap. Flush mounted gear plate cover and removable handle are chrome plated. The end wheel assembly features heavy-duty non-scut swivel casters that allow for smooth and easy mobility. The wheel assembly bracket simply flips up and out of the way while unit is in play.



○ PickleNet Deluxe (Item # 33162)

With the PickleNet players can enjoy pickleball on any flat surface indoors or outdoors. Complete system is fast and simple to assemble and easily maneuvered with the 4" locking wheels. The PickleNet Deluxe system is made from powder-coated steel and comes in official Pickleball dimensions (22' x 34"). Center-strap design maintains consistent height along the net. Adjustment straps on net edges provide excellent net tension. Made from heavy 420D nylon, our PickleNet Deluxe bag features a durable zipper, carry straps, and internal sections to make portable net storage easier than ever. Strong 1.5" x 3" oval tubing allows for a fast set up and automatic alignment of the center frame. The elastic bottom net band speeds up net set-up, helps maintain consistent net tension, and takes stress off of the net to increase durability.



○ SwiftNet Portable Pickleball Net (Item # 33165)

The SwiftNet Portable Pickleball Net System allows precise regulation heights from their net. The unique locking system and supportive brace used on this system keep it at the perfect 34" height at the center and 36" height at side lines of the court. The net uses a high-tensile, non-stretch top cord which means that the net doesn't sag or require re-adjustment even after weeks of use. With only five parts, the net can be quickly and easily assembled (or disassembled) in under 3 minutes. The SwiftNet is incredibly lightweight, weighing only 14 lbs.




○ Pickleball Portable Set (Item # 33160)

Lightweight, portable pickleball set can be set up and moved in as little as 8 minutes. Frame is made from hollow steel tubing that is powder coated with a bright green paint. System has a raised lateral bar that allows for balls to pass underneath and a center stabilizer for additional support. The black mesh net has vinyl white net bindings with an "easy buckle" net tension system. Portable system comes with a nylon carry case with a velcro strap for the frame.

Court Maintenance

○ Straightliner™ Tape Machine

The Straightliner is the fastest and easiest tool to mask court boundaries for painted lines. The tool lays masking tape lines precisely and evenly up to 3" apart. Tape width guides can be changed in seconds. Frame is constructed of black powder coated steel and the tape holder is non-corrosive aluminum. Other features include smooth, non-marking black rubber rollers and comfort grip black rubber handles. The removable 9" pointer guide screws to front of base frame. The standard Straightliner only lays straight parallel lines while the Plus model lays straight and curved. Masking tape is not included.



Straightliner™ (Item # 63700)
Lay straight parallel masking tape lines 1.5", 2", 2.5" or 3" apart. Can use 1" or 2" wide masking tape. Includes two tape guides to accommodate tape widths.


Straightliner™ Plus (Item # 63600)
Plus model creates curves, circles and straight lines for court boundaries. For use with 1" wide masking tape. Creates parallel lines 1.5", 2" or 2.5" apart.

○ Water Removers

Court Dry

Courtdry I (Item # 34735) | Courtdry II (Item # 34734)
Includes EZ RR-36 | Includes SR-D RR-36

Stop wet weather conditions from interfering with tennis matches or other outdoor court games with the Court Dry. The tough PVA foam roller quickly absorbs and pushes away water. Powdercoated stainless-steel frame has a T-socket that securely holds the roller and handle in place during use. Removable roller can easily be substituted for a replacement roller.



Replacement Rollers

E-Z RR-36 (Item # 34603)
Fits most 3' wide water removers. Roller is 5/8" thick polyvinylaldehyde seamless foam with PVC core. Creates an excellent "rolling seal" with the court surface.

SR-D RR-36 (Item # 34742)
Fits most 3' wide water removers. Roller is 3/4" thick seamless polyurethane with a PVC core. Extra thick construction resists tears and separation to provide up to three times more drying power. Ideal for slightly uneven courts.

Deluxe Squeegee

Squeegee (Item # 34827)
Replacement blades (Item # 34827R)
Squeegee has a reinforced aluminum frame with 36" rubber blade for quick water removal. 60" long handle is powder coated with a vinyl grip. Reinforced gusset bracket at base for more control.




Deluxe Water Broom (Item # 34748A)

Clean more in less time and with 90% less water. Deluxe water broom cleans a 4' wide surface with (9) powerful jets. Designed to be used with a standard 5/8" hose; no special attachments are needed. The rugged aluminum construction will not rust or corrode. Lightweight broom has brass jets and open/close valve with large rubberized grip. Two durable wheels with internal ball bearings rotate freely and make the water broom glide over the ground with minimal effort. Pipe tape included for water tight assembly of water broom.

○ Douglas® Fence Mount Rebounder (Item # 64800)

Attaches to virtually any tennis fence and posts; simply adjust the mounting brackets to fit your fence post width. Frame is constructed of durable 16 gauge, 1.66" OD steel with a black polyester powder coat finish for maximum weather resistance. Heavy-duty pylon rebound netting is #420, 1-1/2" square mesh. Black netting is treated for weather and UV resistance. Netting perimeter is finished with a black double sewn polyester webbing. Rebound net is pulled taut and secured to the frame with the included high-strength bungee cords. A white webbing strap is included to set a realistic tennis net height on the rebounder. Frame measures 18' wide and is 8' high.



Rally Master - Vertical or Sloped

Rally Master Backboards can be used for tennis, lacrosse, soccer, basketball and many other applications. Backboards are available in a vertical or a sloped option. All backboards measure 10' high and are available in 12', 16' or 20' widths. Backboards can be installed on standard fence post diameters of 2-1/2", 3" or 4" OD. Backboards come with an industry leading 20-year warranty.

When ordering please specify Vertical or Sloped along with the outside diameter of the fence post the backboard will be installed on.


34852	10' x 12'	Each	500 lbs.
34854	10' x 16'	Each	650 lbs.
34856	10' x 20'	Each	800 lbs.



Rally Master Catch Net

These heavy duty, black, UV stabilized catch nets mount to the top of the backboard with powder coated steel brackets. The net support frame is made of powder coated steel tubing and super-strength corrosion resistant connectors. Nets are 5' high and available in 12', 16' or 20' widths.

34852N	5' x 12'	Each	16 lbs.
34854N	5' x 16'	Each	20 lbs.
34856N	5' x 20'	Each	24 lbs.



- Panel Construction - Solid-core, 3/4" UV stabilized dense plastic (150 lbs per panel) with the rich green color molded directly into the panel. Net lines are also permanently etched into the panels. Custom colors and custom engraving available.
- Reduced Sound - Patent-pending vibration dampeners and mounting technique substantially reduce rebound noise. Decibel readings indicate that a tennis ball hitting a Rally Master Backboard is no louder than a tennis ball hitting a tennis racket.
- Mountings System - Installation is fast and simple with their unique patent pending mounting system. It provides a universal fence bracket that allows the installer to quickly adjust the strut alignment to compensate for fence posts that are slightly bent or out of plumb. System includes all the mounting hardware for a complete installation.
- Corrosion-Resistant Hardware - Panels are mounted to heavy-duty, galvanized cross braces that are attached to vertical posts using galvanized hardware for unmatched durability.
- Sizing - Backboards are manufactured in 10' x 4' panels. The minimum size available for purchase is 10' x 12'. There is no limit on length, the only requirement being that the total length is divisible by four feet.




Bakko Backboards

Each panel is 4' wide, 8' or 10' high and weighs 80 to 150 pounds. The Bakko assembly kit holds the panels in a tight, unitized, side-by-side construction. Kits come in traditional flat and single curved styles. All kits are complete. Minimum adequate size is 8' high by 12' wide backboard (3 panels). Attaches to two tennis court fence posts which, on most tennis courts, are spaced 10' apart. Typically a 16' wide (4 panels) and 20' wide (5 panels) backboards require three tennis fence post for attachment. If post are 8' apart a 16' wide backboard can be elegant. 20' wide backboards are very popular, especially in the 10' high series. *May have extended shipping lead times.

SPECIFICATIONS:

- Encased in thick fiberglass and gel coat
- Coated with solar and impact resistant polyurethane paint
- Multiples of 4' wide panels
- 10 Year pro-rated warranty on backboard structure
- 1 Year warranty on paint



ECONOMY FLAT



PROFESSIONAL FLAT



SINGLE CURVE

Economy Flat

- 8'H x 12'W (Item # 34835A)
- 8'H x 16'W (Item # 34835B)
- 8'H x 20'W (Item # 34835C)
- 8' high panels, 1.75" thickness
- Sound deadening matrix interior
- Pressure treated 2 x 4's for horizontal supports
- Customer required to drill holes

Slimline Flat

- 8'H x 12'W (Item # 34836A)
- 8'H x 16'W (Item # 34836B)
- 8'H x 20'W (Item # 34836C)
- 8' high panels, 1.75" thickness
- Interior compartmentalized metal frame
- Steel channels for horizontal supports
- Pre-drilled for easy installation

Professional Flat

- 10'H x 12'W (Item # 34837A)
- 10'H x 16'W (Item # 34837B)
- 10'H x 20'W (Item # 34837C)
- 10' high panels, 2.5" thickness
- Heavy, reinforced metal, interior frame
- Sound deadening matrix interior
- Wheel attachments for easy installation
- Steel channels for horizontal supports

Single Curved

- 10'H x 12'W (Item # 34838A)
- 10'H x 16'W (Item # 34838B)
- 10'H x 20'W (Item # 34838C)
- 10' high panels, 2.5" thickness
- Gentle concave curve - top to bottom
- Sound deadening matrix interior
- Wheel attachments for easy installation
- Steel channels for horizontal supports

Courtside Accessories



Cabana Benches

- 6' Model (4' long bench) (Item # 30021)
- 8' Model (6' long bench) (Item # 30019)
- 10' Model (8' long bench) (Item # 30020)

The covered cabana benches are an attractive way to improve the look and functionality of your court. The square heavy-gauge steel frame has a black powder coat finish for ultimate protection. The Durawood plastic composite bench is maintenance free and weather resistant. Bench is bolted and welded to the heavy-gauge steel framework. Choose from three possible seating configurations. Standard colors are forest green, pacific blue, burgundy, black and Forest green stripe. Custom canvas colors and printing options are available at an additional charge. Bench can be installed "surface mount" or "direct burial".



Fence Cabana (Item # 33854)

The Fence cabana is perfect for tennis courts. The awning easily attaches to standard 10' high chain link fences and can be installed in under 30 minutes with two people and simple tools. Fence-mounted awning gable design measures 10' Long x 4' Wide x 2'6" High. Framing is constructed of powder coated, heavy gauge galvanized steel. The frame bolts securely to a fence's top rail with U-brackets. Frame folds at hinges for quick removal and storage. All-weather, fade resistant Sunbrella canvas comes with a 5 year fade warranty. Choose from standard colors forest green pacific blue, burgundy, black and Forest Green Stripe. Custom canvas colors are available at an additional charge.



Durawood Dent-Saver Bench

- 4' long (Item # 33858)
- 5' long (Item # 33859)
- 6' long (Item # 33860)

Dent-saver benches are built to last; constructed from rugged, recycled HDPE plastic lumber. Material is incredibly weather resistant and will not rot, splinter or warp as it is impervious to water, most chemicals and UV light. There are no metal fasteners, making them safe and rust-proof even in the most humid environments. Benches measure 17" high, 18-1/2" deep and 4', 5' or 6' long. Graffiti washes off easily, and painting is never required. Best of all, each bench diverts over 500 post-consumer plastic milk jugs from overcrowded landfills. Choose from forest green; gray or cedar by special request.



Classic Umpire Chair

- Green (Item # 34777)
- Black (Item # 34778)

The heavy-duty classic umpire chair is made of custom fabricated powder coated steel that will last a lifetime. Choose from standard rust proof green or black finish. Custom painted chairs with logos are available to match your team or facility. Comfortable cushioned seat has removable cushions for storing out of the weather when not in use. Top and bottom weather treated wooden tables offer an easy access storage solution for officials and umpires alike. Smooth wheels will not scuff court surfacing. Optional umbrella is available.



Courtside Cooler and Accessories

A functional and attractive courtside alternative to water fountains.

Metal Cooler Stand Set

(Item # 34912)

Complete Cooler Stand set is equipped with a 5-gallon Igloo™ cooler, a cup dispenser along the side and a receptacle.

Court Caddy Basket

Green (Item # 34746)

Black (Item # 34746B)

Receptacle for beverage cups and other court trash

Cup Dispenser

(Item # 34903)

Black cup dispenser conveniently attaches alongside the cooler for a quick drink.

Igloo™ Cooler, Green

(Item # 34900)

Lightweight insulated cooler holds 5-gallons of liquid. All green in color with a flat lid. Side carrying handles.

Court Caddy

Green (Item #34745)

Black (Item #34744)

The court caddy keeps personal items in its place. Valet tray includes hooks to hang towels or jackets, indented holders to eliminate beverage spills and a trash can below for waste. Assembly fits most tennis posts, attaching by a simple hose clamp. Constructed of durable plastic Choose from dark green or black.

Score Post

(Item # 34732)

Manual tennis score keeper uses tennis balls to score matches with standard scoring allowing for (3) traditional sets or an 8-game pro set. Has an all-metal support that attaches to the net post with quick release hose clamps for easy court change over (no tools needed). Both games and sets won are displayed. Name cards mount on top of mast and are sold separately.



Court Numbers

(Item # 34756)
Durable dark green plastic court signs with white printing. Signs have pre-drilled mounting holes. Vertical orientation sign measure 8" x 10". Choose from numbers 1 to 20; please specify desired numbers. See Page 43 for Vinyl Court Signs



Court Signs

Court Rules (Item # 34872)

Soft Sole Shoes Only (Item # 34872A)

Courts Closed for Maintenance (Item # 34872B)

Please Register (Item # 34872C)

Please Keep Gates Closed (Item # 34872D)

Durable dark green plastic court signs with white printing. All signs are horizontal except "court rules". Signs measure 7" x 10" and have pre-drilled mounting holes.

Douglas® Windscreens/SportScreens



All Douglas® windscreen materials are made for all locations and weather conditions. All high-quality material options are UV treated, breathable and mildew resistant for maximum longevity. They are made to withstand the elements while keeping your facilities looking sharp. Choose from premium windscreen fabrics in both vinyl coated polyester (VCP) and polypropylene. Our range of materials include both open and closed mesh fabrics, standard and custom colors and full color digital printing.

Windscreens are available in standard 6 ft and 9 ft heights and in custom heights by request. Screen length is completely custom and made to order to the nearest inch; 60 ft is the maximum recommended length per panel.



Vinyl Coated Polyester

This versatile and attractive windscreen fabric is durable and boasts great weather resistance. Vinyl Coated Polyester (VCP) screens are available in a variety of colors and custom digital printing and logos can be printed directly on the material.

Fabric: 50% vinyl, 50% polyester, Open (VCP) - 9 x 12 weave

Windbreak: Open - 80%

Weight per square yard: Open - 8 oz.

Tensile Strength: Open - 230 x 200


Colors:

Standard Colors: Dark Green or Black
Additional Colors: Open Tournament Blue, Royal Blue, Red and Navy Blue

Special Order Colors:

Yellow, White, Purple, Orange, Burgundy, Gray, Brown or Bright Green

Warranty: 3-Year Limited



VCP Max™

VCP Max goes one step further by offering maximum tensile strength and visual blockage. At 85% windbreak, VCP Max allows more airflow than closed mesh screens, but provides a better visual background than open mesh screens. This versatile and attractive windscreen fabric is durable and boasts great weather resistance. Custom digital printing and logos can be printed directly on the material.

Fabric: 16 x 17 weave


Windbreak: 85%

Weight per square yard: 10 oz.

Tensile Strength: 395 x 401

Colors: Dark Green, Black or Open Tournament Blue

Warranty: 4-Year Limited



PolyPro™ Plus Premium

This 100% Polypropylene material is a vented open mesh windscreen pattern that allows air to easily pass through while still offering privacy. This open fence screen material puts the least amount of strain on your fence making it ideal for taller fences and windy areas where high airflow is a requirement. PolyPro™ Plus is a highly durable leno weave material that is heat-set so your screens will never shrink or change shape. Weather and UV protection is extruded into every fiber of the Polypropylene windscreen for maximum performance and longevity.

Fabric: 100% polypropylene;

OMP: Open Mesh -

28 x 14 leno weave

CMP: Closed Mesh -

30 x 16 leno weave

Windbreak: Open - 85%
Closed - 95%

Weight per square yard: Open - 7 oz.
Closed - 8 oz.

Tensile Strength: Open - 380 x 185
Closed - 450 x 215

Colors: Dark Green or Black

Warranty: 4-Year Limited



Douglas® Service

With over 50 years of experience, we know windscreen from one end to the other. We offer dependable customer service, and we still answer our phones; you will not get a recording during business hours. An experienced representative will be able to answer all your questions. Our team takes pride in quick response times with most online inquiries being answered in less than 24 hours. Our goal is your 100% satisfaction, and we work relentlessly to exceed your expectations.

Douglas® Windscreens/SportScreens



VCP with 3-Ply Hems




OMP with 4-Ply Hems



VCP with Center Tab (CT)



OMP with Center Tab (CT)



OMP with (CRT)
Center Reinforcement Tape

Douglas® Custom Fabrication

All our windscreen fabrics are custom made to order; we custom cut all panels to exact sizes to ensure an accurate fit. As the manufacturer we control every aspect of the production process. Every piece of material goes through quality control checks to ensure accuracy and precision. We pay meticulous attention to detail and guarantee consistent, quality craftsmanship. Every time.

Extra Strong Hems

All panel perimeters are reinforced with durable lock-stitched sewn hems seamed with vinyl. #2 brass grommets are spaced every 12" on panel sides and every 18" along the top and bottom.

VCP and VCP MAX™ fabrics are hemmed with Douglas's 3-ply extra-strong hems. These durable sewn hems are seamed with solid vinyl inserts that are double sewn to 1-1/2 inches wide.

PolyPro™ Plus (OMP) windscreen material is hemmed with Douglas's 4-ply extra-strong hems. These durable hems include solid vinyl inserts as well as an 18oz vinyl overlay and are double sewn to 1-1/2 inches wide.

Center Reinforcement

When installing windscreens, center reinforcement is recommended for anti-billowing on all panels that are taller than 6 ft and where strong winds prevail. Center reinforcement allows the screen to be secured to the middle of the fence with tie wraps or lacing cord attachment. All Douglas® windscreens over 6 ft in height include a center tab with grommets.

(CT) VCP and VCP MAX™ fabrics are sewn with 18 oz black vinyl and grommets are placed every 18 inches to secure the screen to the fence. The reinforcement tab is only visible on the backside of the fence screen for a cleaner installed appearance.

(CT) PolyPro™ Plus (OMP) windscreen material is reinforced with Center tabs that are double stitched with 3" wide heavy polyester webbing and grommets are placed every 18" to secure the screen to the fence. The center tab grommets are only placed on the webbing and do not go through the fence screen material. This results in a cleaner installed appearance with no visible grommets on the front side of the material.

(CRT) Center Reinforcement Tape Optionally, 9' screens may substitute a Center Reinforcement Tape (CRT). CRT's are double stitched with 1-1/2" wide heavy polyester webbing and grommets are placed every 18". Unlike, standard Center Tabs, with Reinforcement tape, grommets are secured through the fabric and webbing; making the grommets visible on the front side of the fabric. With this method grommets can be laced to the fence with braided rope.

Douglas® Custom Graphics

Add digital printing to any VCP fabric and promote team spirit by adding your team affiliation, brand your facility with a company logo or simply add advertisements to support sponsors. Even simple lettering can make an enormous impact on the professional look on a facility.

Our elite printing process allows us to print directly on your material so there's no white back side like other digital printing companies. With the use of quality long lasting UV inks, your printing and logos become part of the material. The UV resistant inks keep their vibrancy for years and no extra coating is needed. Your investment will not crack, peel, or tear like alternative vinyl decals. Our advanced digital printing technology allows for more detailed multi-color capabilities and has a quick turnaround and greater accuracy.

Your digital printing will last the lifespan of the fence screen it is printed on. We back the quality of our digital printing with the same warranty as our windscreen materials.



Air Vents

Optional air vents allow air to pass through and help take the strain off your fence and windscreen. Air vents are recommended for screens taller than 6 ft and where high winds prevail.

Die-Cut (AV) (Item # 21001)

Standard air vents are a die-cut and heat sealed in a half moon shape. Air vents measure 8" wide and are 5" high and are cut out on 10 ft intervals on center. AV vents are recommended and are only available on vinyl-coated polyester material.

Reinforced(AVR) (Item # 21002)

The Douglas® AVR vents are rectangular sewn cut outs that measure 10" wide x 8" high. These vents are perimeter hemmed with polyester webbing and are placed at 10 ft intervals on center. AVR vents can be cut into any windscreen material.



Tie Wraps

TR-50 7" (Item # 31656)
TR-120 8" (Item # 31657)
Tie wraps are recommended for installation and are sold in packages of 100 qty. See page 14 for more installation accessories.





○ Baseball & Softball Fence Screens

Fence screens are an invaluable addition to any ballpark facility with multiple uses and advantages. Dress up your ballpark and even solve safety problems with fence screen and accessories:

- Baseball outfield windscreens and fence cap
- Outfield distance markers
- Custom Batters Eye Screen
- Dugout Fronts, Covers and Rail Padding
- Bleacher Wraps
- Bleacher Shade Cover
- Concession & Entrance Fences



○ Tennis & Pickleball Courts

Windscreens are a great addition to complete any tennis or pickleball court because they offer many benefits including privacy, a solid background, wind reduction and just an overall more enhanced appearance. Unlike other sports facility fences, Tennis court chain link fences are typically 10 ft in height. The most common windscreen height that is ordered for a tennis court is 9 ft high and the screen is installed at the top of the fence leaving a foot at the bottom of the fence. This allows for routine mowing and weed eating without worrying about damaging the fence screens. Alternatively, some facilities prefer to order 6 ft high windscreens and center the panels on the 10 ft high fence.



○ Sport Fields

An invaluable addition to any sports field or stadium with multiple uses and advantages. The primary purpose of windscreen is to reduce wind and noise, increase privacy, gain player focus and gain an overall more enhanced appearance of the facility.



○ Construction & Business

An ideal way to cover the unsightly appearance of construction sites and redefine an area. Hanging windscreen around a construction site encloses the area, reduces wind, and provides an opportunity for additional branding and advertising.



○ Custom Bleacher Screens and Enclosures

Adding fence screen panels to the upper safety backs is a great area to enclose to not only block sun and glare but to use as an opportunity to add custom graphics. Meanwhile, bleacher screen enclosures increase safety and can transform an unsightly space into an attractive and useful part of your entire facility. The underside of bleachers often turns into an extra storage area and adding screens can conceal these items along with providing a level of weather protection. Bleacher screens and enclosures are custom made to your specifications from vinyl coated polyester. We can accommodate any custom angle or cut out area to ensure that your custom bleacher screens are a precise fit.

Fence Screening

Privacy Screen

This fence screen is an inexpensive solution for athletic fields, dugouts, bleachers or any other location where privacy or shade is desired. Privacy screen material is lightweight, tear resistant and will not unravel. Construction is 100% high density polyethylene that is weather resistant and UV stabilized. The material will not fade or deteriorate from natural elements and is also resistant to mold and mildew. Privacy Screen can be purchased by the roll to be cut-on-site or purchased in finished 50 foot panels. To maximize strength, an optional reinforced hem with grommets can be applied to the top and bottom edges. These optional hems will reduce the overall roll height. Custom printing is available, contact us with your dimensions for a quote.

Material Specifications:

Construction: 85 – 90% Knit Raschel Fiber
 Content: 100% High Density Polyethylene
 Available Colors: Dark Green, Black, Blue, Brown or Beige

Unfinished Rolls -Cut on site

44" x 150', for 4' fence (Item # 36924)
 68" x 150', for 6' fence (Item # 36928)
 92" x 150', for 8' fence (Item # 36932)

Optional Reinforced Hem (Item # 26932)

Optional reinforced hem with grommets (shown right) can be applied to the top and bottom edges to maximize strength. Optional hems will reduce the overall roll height.



Finished Panels


Panels are finished with perimeter hems and grommets for extra reinforcement. Available in green or black. Shown far right.

68" x 50' Panels

Green (Item # 26928G)
 Black (Item # 26928B)

92" x 50' Panels

Green (Item # 26932G)
 Black (Item # 26932B)



Installation Accessories

TR-50 (Item # 31650) 7" Tie wrap
 50 lb. break strength with a metal insert.

TR-50XL (Item # 31651) 12" Tie wrap
 50 lb. break strength with a plastic insert.

TR-50P (Item # 31656) 7" Tie wrap
 50 lb. break strength with a plastic insert.

TR-120XL (Item # 31655) Extra long
 14" Tie wrap 120 lb. break strength
 with a plastic insert.

TR120P (Item # 31657) Tie wrap 8"
 120 lb. break strength with a plastic
 insert.



Plastic C-Snap

3" S-Hook



Braided Rope

BLR (Item # 31601M)
 Braided lacing rope black poly 3/16"
 1000' reels 550 lb. break strength

SH-3 (Item # 31663) 3" galvanized "S" hooks

BNC (Item # 31600)
 Braided lacing cord 600' reels

C-3P (Item # 32675) 3" plastic C-snap

Outfield Distance Markers

These heavy-duty distance markers hang on your outfield fence with the distance permanently marked. Banners are double reinforced and double stitched around the perimeter with grommets evenly spaced for easy installation. Markers can hang vertically or horizontally, please specify when ordering. Choose from windscreen mesh material or 18 oz vinyl.

Windscreen Mesh Material

Individual (Item # 36815A)
 Set of 3 (Item # 36815B)
 Set of 5 (Item # 36815C)
 Colors: Dark Green, Purple, Royal Blue, Navy Blue, Maroon, Red, Brown, Orange, Kelly Green, Pacific Blue, Yellow, Gray or Black

Solid Vinyl Material

Individual (Item # 36816A)
 Set of 3 (Item # 36816B)
 Set of 5 (Item # 36816C)
 Colors: Red, Black, Dark Green, Royal Blue, Kelly Green, Purple, White, Yellow or Black

Dimensions:

Horizontal: 48" W x 24" H
 Vertical: 24" W x 60" H
 Printed Numbers: 16" H



VCP Windscreen



Solid Vinyl



Baseball Outfield

Professional Foul Poles
 20'-12' wing (Item # 36650)
 15'- 8' wing (Item # 36650A)
 12'- 6' wing (Item # 36650B)
 Ground Sleeves (Item # 36650GS)
 Addition to any ball field, this pair of Professional Foul Poles clearly marks the difference between a home run and a foul ball. Players, fans and officials can make the call in any conditions, day or night, thanks to the bright yellow coating and expanded metal wings. Heavy-duty, powder coat steel means the poles are built to withstand harsh weather and line-drive home runs. Constructed of heavy-duty 3.5" OD 13 gauge steel pipe with an 18" wide expanded metal wing. Bright yellow makes it easy to track the ball as it crosses past the poles.



Poly-Cap
 250' roll (Item # 36966)
 100' roll (Item # 36960)
 Package 100 ties (Item # 36968)
 Poly-cap is UV treated and is available in yellow or black. Improves safety and makes any field more attractive. Comes pre-slit and ready to install. Yellow or black 18" UV tie-raps are recommended every 3' to secure poly-cap to fence. 2 Year warranty. Please specify desired color when ordering.

Poly-Cap Installer Tool
 (Item # 36969)
 Install 100' in less than 10 minutes!




Aluminum Foul Poles
 15' Above Ground, 7' Wing (Item # 36651)
 20' Above Ground, 12' Wing (Item # 36652)
 30' Above Ground, 22' Wing (Item # 36653)
 40' Above Ground, 32' Wing (Item # 36654)
 Foul Poles are manufactured from 4" (15' and 20') or 6.625" (30' and 40') outside diameter aluminum pipe and are available in standard above ground heights of 15', 20', 30' and 40'. All foul poles are powder coated yellow, utilize ground sleeves with corresponding caps or a base plate mounting system for a semi-permanent installation, and are available with or without a wing. Standard wings start 8' above finished grade and consist of 1/8" stamped aluminum sheet with double reinforced bends making them much more durable and longer lasting than weaker competitive mesh products. Custom foul pole heights and/or wing sizes are available, upon request. Please specify ground sleeve or plate mounted when ordering. Yellow is standard; white or orange is also available upon request.

Fence Guard
 Eliminate chain link injuries and add some color to your park. Our premium quality protective fence covers offer the highest level of player protection. Don't be fooled by low cost, thin walled look-a-likes, demand the best! The professional teardrop shaped profile is easy to install with just one person. Exterior grade UV resistant polyethylene construction is maintenance free and is designed to be the longest lasting fence cap available. Pre-drilled every 24" and includes ties for securing to the fence. Available in (3) grades of durability with (6) colors to choose from. Comes in 7' sections; in 84' cartons only.



Standard
 (Item # 36984)
 3 Year limited warranty
 .07 wall thickness
 2-5/8"W x 4"H x 7'L.
 Yellow, Forest Green, Red, Blue,
 Orange or White.

Premium
 (Item # 36982)
 5 Year limited warranty
 .10 wall thickness
 3"W x 4-1/2"H x 7'L.
 Yellow, Red or Blue.



Douglas® Batting Tunnel Frames

○ Douglas® Batting Tunnel Frame

Single Frame (Item # 66216)

Double Frame (Item # 66216D)

Triple Frame (Item # 66216T)

The classic, durable Douglas® Batting tunnel frame has withstood the test of time and been manufactured for over 30 years. With the Douglas® Batting Tunnel frame your poles can be set at your desired length and can also be adjusted to fit custom net widths. Standard batting tunnel lengths are 55'/70'/75' and widths are 12'/14' wide.

The unique frame design allows for the tunnel's net to easily be adjusted at any time after the initial installation. The double and triple frame system is installed with a shared-pole multiple cage design setup, eliminating the need for extra poles and ground footings. This heavy-duty frame is constructed using six, 14", 4" square, heavy-duty steel poles. A black, baked on powder coat finish on the steel frame provides the ultimate weather resistance and protection. The width of the end frames are reinforced using 2-3/8" OD, heavy-duty 7-gauge galvanized steel crossbars used to attach the steel cables for attaching the net. Crossbars feature Allied's zinc Flo-coat galvanization process for maximum protection. Frame poles are installed with 4" square 24" aluminum ground sleeves, allowing a maximum installed net height of 12'. The cable support system consists of 1/4" galvanized aircraft cable with a 6,100 lb break strength. Cables are ran the length of the tunnel and attached to the crossbars to support the net. All net-to-cable connections are constructed from long lasting steel. All of the necessary hardware components including quick links, turnbuckles, cable clamps and carabiner clips are provided. Batting tunnel nets are sold separately – choose the size that suits your needs best. Douglas® Batting Tunnel Frames include a 5-Year limited warranty with a proper installation and normal, intended use.



○ Douglas® MAX™ Batting Tunnel Frames

Single Frame (Item # 66470)

Double Frame (Item # 66470D)

Triple Frame (Item # 66470T)

The new Douglas® MAX Batting Tunnel Frame is the strongest professional style frame on the market. With this unique design the frame poles can be set for any batting tunnel cage size. The MAX batting tunnel has a strong tension cable support system and only requires corner poles; no center or side support poles are needed to keep the net taunt across the length of the tunnel. Less poles means less interference and ball ricocheted during practice. The double frame system is installed with a shared-pole multiple cage design setup. This shared pole design can be setup as a triple, quadruple or custom layout. These massive 16' direct bury, heavy-duty steel poles are constructed from 8-5/8" OD with a 0.322" wall thickness. Poles are coated with a durable black powder coat finish for maximum protection and weather resistance. Poles are installed 4' deep, allowing a maximum installed net height of 11'6". Welded steel tabs are placed at the top of each pole to secure the net cable tensioning system. Frame poles are installed at the desired tunnel net width and at least 5' longer for the length. The tension cable support system consists of 1/4" galvanized aircraft cable with a 6,100 lb break strength. Three tension cables are ran the length of the tunnel to support the net. All net-to-cable connections are constructed from long lasting steel. All of the necessary hardware components including quick links, turnbuckles, cable clamps and carabiner clips are provided. Batting tunnel nets are sold separately – choose the size that suits your needs best. Douglas® MAX Batting Tunnel Frames include a 7-Year limited warranty with a proper installation and normal, intended use.



Douglas® Tunnel Nets

All Douglas® Tunnel nets are 1-3/4" knotted polyethylene square mesh making it easier to hang and provides a cleaner appearance. Knotted netting boasts a high overall strength rating making it superior for direct impact applications.

Our Polyethylene netting offers a high UV and weather protection. Polyethylene naturally doesn't absorb water so it's mildew resistant and retains a high percentage of its strength over an extended period of time.

Choose from our standard high quality batting tunnel nets or Douglas® can also custom fabricate to your exact size specifications. Custom tunnels are manufactured with reinforced vinyl or rope borders on top and centers.

○ Douglas® #42 Knotted Twisted HDPE Polyethylene Tunnel Nets

BT #42 Netting:

- (#42 Knotted; 3-Year Warranty)
- 12'H x 12'W x 35'L (Item # 36042)
- 12'H x 12'W x 55'L (Item # 36048)
- 12'H x 14'W x 55'L (Item # 36046)
- 12'H x 12'W x 70'L (Item # 36043)
- 12'H x 14'W x 70'L (Item # 36045)
- 12'H x 14'W x 75'L (Item # 36049)

This twisted polyethylene netting is a #42 gauge in with reinforced sewn rope borders around the perimeter. Corners have 6' rope tails and sewn loops making it easier to hang. Choose from six standard sizes. All nets include a convenient overlap style entry door. 3 year warranty.




○ Douglas® Knotted Braided HDPE Polyethylene Tunnel Nets

Professional, BT-PRO 3.5

- (3.5 mm Knotted; 4 Year Warranty)
- 12'H x 12'W x 55'L (Item # 36038)
- 12'H x 14'W x 55'L (Item # 36036)
- 12'H x 12'W x 70'L (Item # 36033)
- 12'H x 14'W x 70'L (Item # 36035)
- 12'H x 14'W x 75'L (Item # 36039)

This strong, knotted solid core Polyethylene netting is a thick 3.5 mm braid. The borders and the perimeter of the tunnel net is secured with a 5/16" rope border for easy hanging. Choose from five standard sizes. All nets include a convenient overlap style entry door. 4 year warranty.



○ Hitting Station Systems


55' Model – (3) Hitting Stations (2 poles) (Item # 66255)
 70'/75' Model – (4) Hitting Stations (3 poles) (Item # 66270) (specify 70' or 75' when ordering)
 This "stand-alone" system can be placed alongside your batting tunnel/cage for players to use before or after their turn in the cage or anywhere you need 3-4 hitting stations. Frame is constructed from 4" square heavy-duty steel poles with a black powder coat finish. Pole system is an attractive addition to any facility. High-impact netting is constructed of black #42 nylon. Netting is 1-3/4" square mesh with a reinforced rope border. Netting is extruded to permanently resist weather, ultra violet, mold and mildew. High tenacity nylon boasts a 435 lb. break strength to easily withstands and absorb heavy ball impact. Netting is hung from 1/4" galvanized steel cable. Complete system includes ground sleeves and everything needed to install. Choose from two standard sizes; custom lengths are available.



○ Tunnel Accessories

Protective Net Saver or Divider

12'H x 14'W (Item # 36060)
 12'H x 12'W (Item # 36062)
 Add a Net Saver behind the batter to protect and add a buffer to your tunnel net or position a Net Divider to create two short toss stations inside your tunnel. Netting panel is made from black #48 knotted twisted nylon netting. Netting is UV and weather treated. Netting is 1-3/4" mesh and boasts a 459 lb break strength. Perimeter is finished with a durable rope border to simplify installation and reduce sag. Netting is 12' high in either 12' or 14' widths.



Tunnel Frame Protective Padding (Item #39032)

Fitted pole pad is 72" high and is designed to fit 4" square poles. Attaches with velcro straps. High impact foam padding is 2" thick. All weather vinyl is UV resistant and available in dark green, black, royal blue, navy blue or red.



Vinyl Hitting Backdrop

Solid Black (Item # 26460)
 Black With Pitching Target (Item # 26460T)
 An economical way to protect your tunnel net and provide a visual backdrop for pitchers. Protective backdrop measures 6' x 5' and is constructed of black heavy 18 oz./sq. yd. vinyl. Reinforced perimeter hem with grommets C-snaps are included for hanging onto tunnel net. Available with optional white printed hitting target.



○ Installation Accessories




- 1/4" Galvanized Cable (Item # 34728)
- 1/8" Galvanized Cable (Item # 15102)
- 1/4" Cable Clamp (Item # 34725)
- 1/8" Cable Clamp (Item # 34726)
- 12" Turnbuckle (TB-12) (Item # 34724)
- 6" Turnbuckle (TB-6) (Item #36986)
- C-Snap, Black Plated Steel (Item # 32670)
- C-Snap, Black Plastic (Item # 32675)
- 8 mm Spring Link (Carabiner) (Item # 36000)
- 5 mm Spring Link (Carabiner) (Item # 32679)
- 3" Steel S-Hook (Item # 31663)
- 3/16" PolyPro Braided Rope (1000' Roll) (Item # 31601M)
- 6" Eye Bolt (Item # 34730)
- Pulley with Split Bracket (Item #34721)

Douglas® Indoor Batting Tunnels



Douglas® Indoor Tunnel Kits
 Kits includes all hardware needed to setup and hang a batting tunnel net from side walls inside a gym or training facility.



Accessory Cable Hardware Kit


- Kit Includes:** (1) – Spool, 500' 1/4" Cable
 (Item # 66213) (70) – Steel C-Snaps
 (70) – Split Bracket Pulleys
 (6) – Turnbuckles
 (12) – 1/4" Wire Cable Clamps
 (6) – Eyebolts

Ceiling Suspension Kit

- Kit Includes:** (1) – Spool, 500' 1/4" Cable
 (Item # 66219) (2) – Spools, 1,000' 1/8" Cable
 (60) – 1/8" Wire Cable Clamps
 (12) – 1/4" Wire Cable Clamps
 (6) – Turnbuckles
 (6) – Eyebolts
 (70) – Steel C-Snaps
 (30) – Split Bracket Pulleys

Batting Tunnel Tensioning Kit

- Kit Includes:** (6) – Eyebolts
 (Item # 66200) (6) – 8 mm Spring Link Clips
 (6) – 3/8" Spring Link Clips
 (6) – Cables 15' long
 (3) – 50' Pieces of High Strength Braided Hoisting Rope 3/8"
 (3) – Cam Lock Pulley Systems
 (3) – Swivel Clamps



Batting Tunnel Floor Covers

- 15'W x 60'L (Item # 29250)
 15'W x 80'L (Item # 29255)
 Durable floor covering that can be placed under your cage to protect your floor during batting practice. Constructed of 18 oz/sq. yd. PVC coated polyester vinyl. Waterproof vinyl is rot and mildew resistant and treated for UV protection. Fire retardant to all standard fire codes. Standard tan in color. Additional colors are available. Add your school name or mascot with our high-quality digital printing. Choose from (2) standard sizes; custom sizes are available. 5-Year limited warranty.

Installation Accessories

- 12" Turnbuckle
- 1/4" Cable, Galvanized (Item # 34728)
 1/8" Cable, Galvanized (Item # 15102)
 1/4" Cable Clamp (Item # 34725)
 1/8" Cable Clamp (Item # 34726)
 12" Turnbuckle (TB-12) (Item # 34724)
 6" Turnbuckle (TB-6) (Item # 36986)
 C-Snap, Black Plated Steel (Item # 32670)
 C-Snap, Black Plastic (Item # 32675)
 8 mm Spring Link (Carabiner) (Item # 36000)
 5 mm Spring Link (Carabiner) (Item # 32679)
 3" S-Hook, Steel (Item # 31663)
 3/16" Polypro Braided Rope (1000' Roll) (Item # 31601M)
 7.5" Steel Ground Pin (Item # 41208)
 6" Eye Bolt (Item # 34730)
 Pulley with Split Bracket (Item # 34721)
- Plastic C-Snap
- Steel C-Snap
- 5 mm Spring Link
- 7.5" Ground Pin
- 6" Eye Bolt
- 3" S-Hook
- Pulley w/ Split Bracket
- Braided Rope

Protective Screens

Protective screen frames are constructed from standard 1.5" powder coated steel. These compression bolt together frames give the protective screens both stability and strength to stand up to the punishment of batting practice and fielding drills. Gussets are added on each leg to ensure durability and longevity. The heavy duty, UV weather treated #60 knotted net slips over the frame pillow-case style to offer double protection and has proven to protect and last for years.

Varsity L-Screens

The L-Screens are the perfect choice for both fielding and batting cage use. The stable and tough frames offer the security and durability to withstand the beating delivered on the field or in the cage.



L-Screen
(Item # 36460)
The 7' x 7' frame has a 3' x 3' cutout that offers ample space to throw behind and gives the pitcher a comfortable feel while throwing batting practice.



Mini L-Screen
(Item # 36461)
The 7' x 5' has a 3' x 3' cutout and still offers ample space to throw behind and provide protection during batting practice. The Mini size takes up less space in a cage or on the field.

Full Padding (Item # 29210)

Creates a great baffle on L-screens to help prevent balls from ricocheting. Must provide measurements if not ordering with a frame. Specify Color.



Varsity Field Screens

Great for baseball or softball use, these field screens are versatile and can be used for almost any form of protection on the field and on the sidelines. Although its primary design is to protect fielders during drills, it is also great for use as a catcher's back stop, inside batting cage tunnels as a divider or backdrop and also to hang pitcher's targets.



7x7 Field Screens
(Item # 36463)
The 7' x 7' versital size frame opens the door to endless uses and offers ample space for protection.



8x10 Field Screens
(Item # 36464)
The 8' x 10' frame offers a larger size to protect fielders and coaches while working infield and outfield practice drills.



10x10 Field Screens
(Item # 36465)
The oversized 10'x10' frame offers maximum protection for the bases during fielding drills and station work.



7x4 Mini Safety Screen
(Item # 36468)
The 7' x 4' portable size screen still offers protection for the pitcher while maintaining a manageable size that fits in the bed of a truck without needing to be disassembled.

Varsity Sock Net Screen

(Item # 36466)
The 7'x 7' frame has a hitting target area that measures 53" wide and 49" high. Great for baseball or softball use, the Field Screen is versatile and can be used for almost any form of protection on the field and on the sidelines.



Varsity Softball Screen

(Item # 36467)
The 7'x7' screen has a 30"H x 24" W cutout that is perfectly positioned to maximize both the protective area behind the screen and the area to pitch through. The cutout is 21" from ground; which is the optimum height for most fastpitch pitching machines.



Varsity Wheel Kit

(Item # 36469)
This particular product is used for all 1.5" OD frames. They are equipped with never go flat airless tires. Wheel kit is easy to put on and take off.



Replacement Nets

L-Screen 7' x 7' (Item # 36450)
7' x 7' (Item # 36449)
Sock Net 7' x 7' (Item # 36457)
Softball Pitching Net 7' x 7' (Item # 36462)



Replacement slip-on nets for protective screens are made from heavy-duty 3.5 mm knotless HTPP. Netting is 1-3/4" square mesh and boasts a 325 lb break strength. Netting is UV and weather treated. The slip-on style net simply slides over the frame and only require lacing cord at the bottom to close the net. Custom size nets are available.

Pro Ball Cart

(Item # 36676)
Ball Cart holds up to 280 baseballs and 190 softballs. Large 10" airless wheels make rolling easy. This durable product is a perfect match for years of batting practice on the field and large enough to last long batting practice sessions. Easy to assemble.



Douglas® Ballpark Netting

1-3/4"
Mesh


○ #12 Knotted UHMPE Dyneema

Major league professional backstop netting provides maximum protection with maximum viewing. This strong netting is only 1.4 mm with a 94% visibility rate. Twisted knotted Dyneema is an ultra high molecular weight polyethylene (UHMPE). Material is treated for maximum UV and weather resistance. Netting perimeter is finished with a 1/4" solid braid sewn rope border. Rope border has 1,500 lb break strength.

1-3/4" SQ Mesh

Medium weight, 308 lb break strength; 94% visibility

(Item # 26012)



○ #42 Knotted Ultra HDPE

Premium Twisted Knotted Ultra High Density Polyethylene is made with specialized treatment to provide the strength of nylon with the UV and weather resistance of polyethylene. This high impact backstop netting is 2.4mm thick with a break strength of 392 lbs. Netting perimeter is finished with a 1/4" solid braid sewn rope border. Rope border has 1,500 lb. break strength.

1-3/4" SQ Mesh

High Strength, 392 lb. break strength

(#26142)



○ Twisted Knotted Nylon

This high tensile strength black nylon netting is ideal for medium to high impact backstop and protective screen applications. Outdoor netting has been treated for UV and weather resistance. Netting is finished with a rope border which allows for a simple and easy installation.

1-3/4" SQ Mesh with Rope Border

LIGHT WEIGHT

#21 Black 237 lb. break strength (Item # 36099A)

MEDIUM WEIGHT

#36 Black 345 lb. break strength (Item # 36099B)

HEAVY WEIGHT

#42 Black 435 lb. break strength (Item # 36099C)

#48 Black 472 lb. break strength (Item # 36099D)

#60 Black 720 lb. break strength (Item # 36099E)

#72 Black 862 lb. break strength (Item # 36099G)

#96 Black 1,112 lb. break strength (Item # 36099F)



○ Knotless Polypropylene HTPP


This premium high tenacity Polypropylene (Pylon) netting offers the most longevity and durability. Pylon netting is ideal for high impact backstop and protective screen applications. Outdoor netting is treated and extruded through the fibers for maximum weather and UV resistance. Choose from black or dark green. Netting can be finished with a rope or vinyl border. A rope border offers a simple and easy installation. The vinyl edging provides the netting with added strength while keeping the nets shape. The reinforced, double stitched vinyl also gives the net a sharp appearance. Optional brass grommets can be added and are placed every 18".

3.0 mm; 1-3/4" SQ Mesh

Medium Weight, 250 lb break strength

Black, Sewn Rope Border (Item # 22260R)

Black, Tape Bound with Grommets (Item # 22260)



Douglas® Backstop & Netting Systems



○ Douglas® Backstop Systems




The Douglas® Backstop Netting Systems are available with or without poles and provide a complete professional looking backstop setup. Take the guess work out of setting up your own backstop system and get a complete kit with all of the cable, hardware and custom netting that you need for your unique facility. Choose from the Standard Cable System (Pole-to-Pole) or the Suspended Cable System (Tie-Back) which provides more of an unobstructive view.

○ Douglas® Backstop Netting Systems

Standard System (Item # 66800)

Suspended System (Item # 66805)

Complete systems include poles, hardware and high impact backstop netting. Heavy-duty poles are 10-3/4" OD X 0.375" wall with a black powder coat finish. Other pole sizes are available by request. Installation hardware includes 1/4" galvanized aircraft cable with 6,100 lb. breaking strength, heavy-duty eyebolts and turnbuckles as well as the appropriate cable clamps and carabiner clips. The Douglas® Professional #12 Knotted Dyneema 1-3/4" SQ mesh netting is recommended. Other netting can be substituted.



○ Douglas® Backstop Cable

Hardware Kits

Standard Installation

(Item # 66290)

Suspended Installation

(Item # 66295)

These complete backstop cable system kits provide all the hardware needed to install a professional looking backstop with your new or existing poles. Hardware includes 1/4" galvanized cable, turnbuckles, cable clamps, eye bolts and carabiners. Custom netting is sold separately, poles are not included.



○ Douglas® Complete Netting Systems

(Item # 67200)

Complete your facility with Douglas® permanent netting systems that are designed to stop balls, prevent property damage and provide player and spectator safety. All systems include high-quality netting, poles, and all the hardware needed for a complete installation. These netting systems are ideal for multi-sport facilities where multiple games or practices are going on simultaneously. Systems are designed to meet your specific needs and can be custom fabricated to virtually any size.

Permanent Netting Systems come with everything you need including heavy-duty steel poles, netting, high-tension cable and hardware. Permanent systems are great for baseball/softball protective netting as well as barrier netting for multi-sport facilities. Any height can be accommodated up to 40' and custom sizes are available.

Quality outdoor netting is UV and weather resistant and is custom made for your project and application. Choose from various netting mesh sizes including 1-3/4" SQ Mesh, 1-1/2" SQ Mesh, 4" SQ Mesh and also 7/8" SQ Mesh.

Douglas® Custom Padding



Protective Wall Padding

Protect your players with durable, Douglas protective wall padding. Maximum panel size is 8' high X 4' length. The high-impact foam is wrapped in durable 18 oz. vinyl. Long lasting vinyl is UV and weather resistant. Choose from standard colors dark green, black, royal blue, navy blue and red. Additional colors are available.

Wood Backed - Concrete, block, wood or chain link installation

Padding is backed with 3/4" thick exterior grade plywood. A Z-clip channel is recommended for concrete, block or wood wall installations. The steel channel is bolted to the top and bottom along the length of the plywood backing. Bolt and backup plates are recommended for chain link fence applications. The high-impact foam is 3" thick.

Sewn with Grommets - Chain link installation

Durable double sewn padding is 2", 3" or 4" thick high-impact foam with no plywood backing. Padding has a top and bottom flap with grommets to secure to a chain link fence.



Douglas® Custom Graphics

Our vinyl fabrics are digitally printed with our high-quality UV digital printing process. Our elite printing process allows us to print directly on our material so there's no white back side like other digital printing companies. Your printing and logos become part of the material. Your investment will not crack, peel or tear like vinyl decals. Our digital printing allows for more detailed multi-color capabilities and has a quick turnaround and greater accuracy.

FOREST GREEN

BLACK

ROYAL BLUE

NAVY BLUE


RED



Mound and Base Covers

○ Douglas® Dugout and Guard Rail Padding (Item # 29217)

Douglas® guard rail pads are a wraparound style that are custom fabricated using 1" thick high-density foam cores. Foam is 1" prime polyurethane 100+ ILD for ample cushioning protection. Foam is encased in durable 18 oz vinyl that has a UV and weather protection coating for long term resistance against the elements. Pads are sold in up to a maximum 10' in length and are sold per linear foot. Perimeter vinyl flap edging is 1.5" wide and is double sewn with heavy duty #2 brass grommets spaced every 6". Standard size pads are manufactured to fit up to a 2" diameter pipe. Dugout guard rail padding is typically installed with UV protected tie raps or lacing cord. Custom sizes are available to fit any diameter pipe.



○ Custom Graphics

Add digital printing with our high-quality UV digital printing process. You can choose to print on the entire pad or just the front face of the pad to advertise your team's name or logo. Recommended front face print area height is only 3"-4".

○ Douglas® Dugout Protective Netting

Add Douglas® custom fabricated dugout protective netting to your open guard rail dugouts to enclose the area and add protection from errant foul balls. Our black square netting offers a clean professional appearance. Any of our baseball netting will work but most common is Pylon 3.0mm Knotless HTPP 1-3/4" SQ Mesh Black Netting and #36 Twisted Knotted Nylon Black 1-3/4" SQ Mesh. The 3mm Knotless offers a clean look and offers ultimate weather protection, while Knotted Nylon provides a stronger break strength at 365 Lbs. All Netting is bound with rope border which allows for a simple and easy installation. Netting can be secured to the dugout with UV protected tie raps or lacing cord. Dugout Protective Netting is sold per square foot, and any custom height or length is possible.

○ Logo Vinyl Rail Wraps (Item # 29219)

A low cost solution for changing sponsors, advertisers or just to cover up existing damaged guard rail covers. Simply secure vinyl rail wraps with plastic tie raps. Material is 18 oz UV and weather resistant vinyl. Virtually any color and design is available with digital printed graphics.



○ Home Plate, Mound and Base Covers

Protect your pitcher's mound and homeplate areas to reduce maintenance with these easy-to-install and remove covers. Excellent to use while watering the field. Covers feature heat-sealed seams and reinforced perimeters with brass grommets for extra durability. Custom sizes are available.

Standard Material

Constructed of 6.3 oz/sq. yd, 12 mil. polyethylene that is light and mildew resistant. Only available in reversible silver/white.

- 30' Home Plate Cover (Item # 26500G)
- 26' Home Plate Cover (Item # 26503)
- 20' Pitcher's Mound Cover (Item # 26505)
- 18' Pitcher's Mound Cover (Item # 26501G)
- 12' Square Base Cover (Item # 26506G)
- 10' Square Base Cover (Item # 26508)

Heavyweight Material

Constructed of 18 oz coated vinyl that is UV and mildew resistant.

Available colors include:

dark green, black, red or royal blue.

- 18' Pitcher's Mound Cover (Item # 26501H)
- 20' Pitcher's Mound Cover (Item # 26504H)
- 26' Home Plate Cover (Item # 26502H)
- 30' Home Plate Cover (Item # 26500H)



○ Logo Mound Cover

- 18' Pitcher's Mound Cover (Item # 26501L)
 - 20' Pitcher's Mound Cover (Item # 26504L)
 - 26' Home Plate Cover (Item # 26502L)
 - 30' Home Plate Cover (Item # 26500L)
- Constructed of premium heavy-duty 18 oz. UV and weather resistant vinyl with heat-sealed seams and reinforced perimeters with grommets. Available in dark green, black, red or royal blue (please call for availability of other colors). Logos and lettering are available with any color combination and are printed in a 5' x 10' print area. Our digital printing process is done with UV curable inks to ensure logos will be sharp, vibrant and long-lasting. Also great for sponsorship opportunities. Custom sizes also available, contact us for more information and pricing.

○ Weighted Mound and Base Covers

- 18' Pitcher's Mound Cover (Item # 36318W)
 - 20' Pitcher's Mound Cover (Item # 36320W)
 - 26' Home Plate Cover (Item # 36326W)
 - 30' Home Plate Cover (Item # 36330W)
- These durable mound covers are weighted within the hems to keep them in place. Covers do not require sand bags or stakes. Made from premium heavy-duty 18 oz. vinyl that is both UV and weather resistant. Perimeter has heat sealed seams that are reinforced with grommets. Dark green is standard; covers are also available in black, red or royal blue. 3-year pro-rated warranty.

Bases, Plates and Accessories

Jack Corbett® MLB® Hollywood Base® (Item # 36518)

The base that has continued to be the official base of Major League Baseball and is used on every MLB field. Bases are engineered to better withstand bad weather and also include special ultraviolet inhibitors making them the longest lasting pro-style bases available. The added tensile strength prevents most cuts and tears. The extended tapered lip virtually eliminates edge turn up. Comes with 6" stanchion and sold as a set of (3) bases. Ground plugs and anchors are sold separately.



Schutt® ProStyle Base (Item # 36522)

These official size (15" x 15" x 3") bases look like Major League Baseball bases and are covered with a heavy-duty rubber protective layer. Features a high density foam interior and an all welded steel stanchion pan. Ground plugs and anchors are sold separately. Sold as a set of (3) bases.



Hollywood Impact® Bases

Set of (3) Bases (Item # 36526)

Official size (15" x 15" x 2-1/2")

Impact Double First Base (Item # 36528)

Official size (15" x 30" x 2-1/2")

Set of (2) Impact Bases with Double First Base (Item # 36530H)

This advanced base design compresses upon impact, reducing risk of ankle, leg, and knee injuries. Bases feature a premium, professional construction with patented chevron design that adds to the support and durability. Bases include 6" stanchions. Ground plugs and anchors are sold separately.



Unique design compresses upon impact, thereby reducing stress and pressure on sliding players.



Hollywood Impact® Kwik-Release Base

Varsity Impact Double First Base (Item # 36529V)

Varsity Set of (2) Bases with Double First Base (Item # 36531V)

Youth Impact Double First (Item # 36529)

Youth Set of (2) Bases with Double First Base (Item # 36531)

The advanced base design compresses upon impact and the bottom waffle design adds strength and flexibility. For safety, the top of base (white) disengages from bottom base (orange) upon strong impact. This reduces the risk of injury to sliding players and is fully compliant with Little League Rule 1.06 which states that all leagues must utilize bases that disengage their anchor. High-quality rubber base won't absorb water and repels dirt. Choose from Youth and Varsity resistance levels, both measure official size, 15" x 15" x 3". Ground plugs and anchors are sold separately.



Home Plates



Hollywood MLB® Pro Style Universal Home Plate (Item # 36545)

Maximum strength home plate, suitable for portable or temporary installation. Includes 7" stanchion, (5) zinc plated spikes, (1) anchor and (1) plug. Base is 1-1/2" thick.



Hollywood MLB® Bury-All Home Plate (Item # 36540H)

Maximum strength all rubber construction with a non-skid rubber surface. No spikes are necessary for installation. Ideal for permanent installation.



Schutt® Bury-All Home Plate (Item # 36540)

Maximum strength all rubber construction with a non-skid rubber surface. No spikes are necessary for installation. Ideal for permanent installation.



Schutt® Anchor Home Plate (Item # 36542)

Highly durable molded rubber construction with stanchion mounted steel plate. Plate can easily be removed for maintenance or storage. Ground sleeve is included.



Schutt® 5-Spike Home Plate (Item # 36544)

White top with 3/4" black beveled edge for safety. Nuts are molded into bottom with five 4" zinc plated metal spikes. Official size.

○ Pitching Rubbers

Hollywood Dual Stanchion Removable Pitching Rubbers
 Official 24" (Item # 36590)
 Youth 18" (Item # 36591)
 Removable pitching rubbers are easy to relocate for different levels of play. Ground sleeves are included.



Hollywood 4-Way Pitching Rubbers
 Official size, 6" x 24" (Item # 36572)
 Youth size, 4" x 18" (Item # 36574)
 Highly durable, molded rubber construction with interior support tubing for maximum longevity. Fill with dirt or concrete to increase stability. Can be rotated for extended use.



Schutt 4-Way Pitching Rubbers
 Official size, 6" x 24" (Item # 36572)
 Youth size, 4" x 18" (Item # 36574)
 Highly durable, molded rubber construction with interior support tubing for maximum longevity. Fill with dirt or concrete to increase stability. Can be rotated for extended use.



Hollywood® Stepdown Pitching Rubber
 Official size, 24" (Item # 36576H)
 Step style improves footing. Ultra-durable construction. Reduces maintenance for upkeep of pitcher's mound.



Stepdown Pitching Rubbers
 Official size, 24" (Item # 36576)
 Youth size, 18" (Item # 36578)
 Step-down style for improved footing, reduces pitcher's mound maintenance. Heavy-duty white rubber cover.



Economy Pitching Rubbers
 Official size, 6" x 24" (Item # 36556)
 Youth size, 4" x 18" (Item # 36558)
 Great durability and economy. Heavy-duty molded white rubber. Comes complete with metal inserts and (3) spikes for installation.

○ T Series Soft Touch® for Turf

Set of 3 Bases, White (Item # 36546B)
 Single First Base, Orange (Item # 36547)
 Home Plate (Item # 36548)
 Pitching Rubber (Item # 36549)



Soft Touch® for Turf is designed for use on synthetic playing fields with a turf depth of 1". The unique design requires no mounting system and sits securely on the synthetic turf. Easy-to-install, Soft Touch® for Turf can remain in-ground year round or set up for game-time. (Please note: These bases are not for use on carpet style turf)



Soft Touch® bases are molded from durable cut resistant polyurethane. Made in the USA. Proven over 20 years of play, Soft Touch® bases outperform standard bases and are fully warranted against failure due to defective materials for one full year.

○ Schutt® Impact Throw Down Bases (Item # 36555)

Use indoor or outdoor. Bases have a waffle bottom and come without a stanchion. Bases compress or flex to lower the risk of injuries to players sliding into base. Sold as a set of (3) bases.



○ Accessories

Ground Sleeve (Item # 36564)
 All steel, female ground anchor measuring 8" x 1-1/2" x 1-1/2" SQ



Dual Ground Sleeve (Item # 36592) Official size; measures 24" in length.



Base/Stake Plug (Item # 36512)
 Round universal 1x1 orange plug. Fits into a 1-1/2" stake. Sold Individually.



Square Plug (Item # 36513)
 Safe to use with tractors, drags and rakes. Sold in sets of (3).



Indicator Base Plug (Item # 36514)
 Makes ground anchor plugs easy to find. You can drag over the plug and still find it. Sold Individually.



Dig Out Tool (Item # 36560)
 Designed to dig out and remove dirt and debris from ground sleeves. Made from tempered steel with a wooden handle.



Schutt® Base Caddy™ (Item # 36565)
 An easy-to-use method of storing and transporting bases. A bonus convenient digout tool is included. The Base Caddy™ is built to accommodate all stanchion-type bases. You can also use the Base Caddy™ to hold the bases while cleaning up to save time and mess. Available in black only.



Douglas® D-Pro™ MAX Basketball Systems

○ Max Clearview Backboard

Our durable, NBA regulation size "clear view" tempered glass backboard has an aluminum perimeter frame supported by a welded steel back frame. Unlike traditional "H Frame" backboard supports, the reinforced galvanized steel extension arms attach directly to the perimeter frame, allowing for the preferred, professional "clear view" appearance. Our tempered glass board is a full 1/2" thick which is the same used at all competitive levels such as the NBA and NCAA.

○ Pressure Flex Breakaway Goal

Constructed of robust steel with a CSPC compliant powder-coat finish and featuring a 5/8" thick, 18" steel rim, and a double spring pressure flex breakaway mechanism, our recreational breakaway goal attaches to the MAX clear view backboard with a double reinforced steel backplate. Featuring unique hidden net attachment style hooks along the inside of the hoop, our pressure breakaway goal will withstand the weight of even the most aggressive slam dunks.

○ Reinforced Extension Arms

A corrosion-resistant, 1-9/16" x 3-1/8" top reinforced extension arm and lower 2" x 4" reinforced extension arm attach to the outer perimeter and the base of the backboard frame allowing for the preferred clear view style. Arms overhang the regulation 4' and provide increased stability and strength and ample room for play.

○ Galvanized Steel Pole

Through decades of design and testing, we have manufactured our one-piece construction galvanized steel pole, equipped with double welded base gussets, with the optimal specifications to minimize shake and vibration. Constructed from 6" square galvanized steel with a 3/16" wall thickness, the system is built to handle rugged play in the toughest conditions.

○ Stress Free Height Adjustment

Effortlessly adjust the goals' height anywhere from 5-1/2' to 10' with two lift-assist, pre-assembled cylinders. The lift-assist ingenuity counterbalances the weight of the backboard so even a small child can raise and lower the goal. The smooth operating adjustable height crank assembly has an easy-to-read gauge and the stainless steel handle is removable to prevent unwanted tampering.

○ Easiest Installation Process

A robust anchor system allows for easy and accurate leveling during installation. All systems are set in a structurally sound 4' deep concrete footing providing a safe and steady base. J-bolt anchor system permits you to dismount your basketball system and move to a new location.

○ Protective Padding

Form fitted pole and base padding are manufactured with durable black all-weather vinyl that is UV and all weather resistant. Dense foam padding is 2" thick for maximum impact protection. Padding secures in the back with sewn-in overlapping velcro straps. Sleek, molded vinyl backboard padding offers maximum player protection while not interfering with game play. Backboard padding is pre-installed for your convenience.

○ All Weather Protection

Blazing summers, drizzly springs, and icy winters are no match for the ultimate weather protection of the D-Pro™ MAX Basketball System. Our team immerses our steel in a bath of molten zinc to produce a corrosion resistant, multi-layered coating of zinc-iron alloy and zinc metal, preventing rusting and chipping, while providing ultimate weather protection against the elements. All of the fastening hardware is made from stainless steel to ensure your system maintains its structural integrity.

○ Limited Lifetime Warranty

With over five decades of experience manufacturing elite sports equipment and great customer service to help you identify and solve problems, we stand behind our systems and guarantee a lifetime of dunks. Replacement parts are always readily available, so you never have to miss a minute of playtime.

○ Steel Backboard

Durable 42" x 60" rectangular steel backboard has a 12 gauge steel shell with a white powder coat finish and an orange printed target and border. Board has an integral reinforced steel channel on reverse side for mounting and increased board support.

 **-PRO™** ADJUSTABLE SERIES



645 MAX
CLEARVIEW
42" x 60" BACKBOARD
(Item # 69660)



646 MAX
CLEARVIEW
42" x 72" BACKBOARD
(Item # 69672)

Outdoor Basketball Padding



435 MAX CLEARVIEW 42" x 60" Polycarbonate (Item # 69635)



Douglas® D-Pro™ 435 MAX is designed for durability and playing performance at an affordable price for home owners and recreational establishments. The 435 Model is a smaller version with most of the same quality features as the standard models.

- MAX Polycarbonate Clear View Backboard**
 Our durable Polycarbonate backboard has an aluminum perimeter frame supported by a welded steel back frame. Polycarbonate is a clear material that is virtually unbreakable. The reinforced galvanized steel extension arms attach directly to the perimeter frame, allowing for the preferred, professional "clear view" appearance. Our polycarbonate board is 60" x 42" and is a full 1/2" thick. The one-inch thick molded vinyl backboard padding is pre-installed.
- Reinforced Extension Arms**
 A corrosion-resistant, 1" x 2" top reinforced extension arm and lower 2" x 4" reinforced extension arm attach to the outer perimeter and the base of the backboard frame allowing for the preferred clear view style. 3' extension arms still provide ample room for lay-ups and fast paced game play along with stability and strength.
- Galvanized Steel Pole**
 Constructed from 4" square 7 gauge galvanized steel, the 435 MAX System is built to handle aggressive play. Pole is a manufactured one-piece construction galvanized steel pole with double welded base gussets. Steel pole is finished in an attractive black acrylic powder coat for ultimate protection. Durable 2" thick fitted pole and base pad is included.
- Stress-Free Height Adjustment**
 The goal effortlessly adjusts anywhere from 6' to 10' with the smooth lift-assist, pre-assembled cylinder. The lift-assist ingenuity counterbalances the weight of the backboard so even a small child can raise and lower the goal. The stainless steel handle is removable to prevent unwanted tampering.



- Douglas® Pro™ Basketball**
 (Item # 39750)
 Baden official size 29.5" indoor/outdoor basketball. Performance traditional color composite cover with a grip made for indoor/outdoor play. Perfection® symmetrical design for a perfectly balanced ball providing great consistency. The widely-spaced panels ensure you won't get the feel of lumps or inconsistent bounces. Recessed Stealth Soft-Valve System™ for an almost undetectable valve.

- Custom Graphics Pole Pad Wrap**
 (Item # 29240)
 Upgrade your plain black pole pad for a completely custom look! Pole Pad Wraps are made of heavy duty, weather resistant 18.5 oz solid vinyl and simply fit right over your existing fitted Douglas® D-Pro™ Series pole pad. Perimeters are finished with strong lock stitching and sewn velcro straps. Digitally printed graphics can be virtually any design or colors.



- Replacement Padding**



Shown with optional printing

Wraparound Pole Padding
 (Item # 29220)
 Wraparound pole pad measures 20" wide x 6' high. Pad is secured around pole with double stitched velcro straps. 2-inch thick high impact foam padding is wrapped in black all-weather vinyl. Material is mildew and UV resistant. Pad is universal and fits up to a 6" SQ or 5-9/16" OD round pole.

Fitted Pole Padding
 4" (Item # 39030)
 6" (Item # 39050)
 Form fitted pad measures 72" high and is designed for either 4" or 6" square poles. High impact foam padding is 2" thick. Black all-weather vinyl is UV resistant with a leather grain appearance. Attaches with sewn in velcro straps.



Fitted Base Padding
 (Item # 39020)
 Form fitted angled pad to cover anchor system bolts. Covers all four sides of a 4" or 6" square pole. The durable black all-weather vinyl is UV resistant with a leather grain appearance. High impact foam padding is 2" thick. Attaches with sewn in velcro straps.



Backboard Padding
 48" (Item # 39170NG)
 72" (Item # 39173NG)
 60" (Item # 39172NG)
 Sleek design reduces possible ball interference. Black, molded vinyl is designed specifically for outdoor durability. Available for 48", 60" and 72" size backboards. 1 Year limited warranty

Douglas® F5™ Fixed Basketball Systems

○ Features

The elite Douglas® F5™ Basketball Systems were designed with safety in mind and is the best in its class for ultimate durability and play. The system boasts the high quality features of the adjustable series in a fixed version making it an ideal choice for institutional applications such as neighborhood parks, municipalities, school playgrounds and anywhere else an adjustable system is not desired or needed.

○ 5' Fixed Reinforced Extension Arm

The Douglas® F5™ fixed extension arm overhangs 5' providing stability, strength and extra room for lay-ups and fast competitive play. The unique extension mount is angled and completely out of the play area minimizing any potential contact with the extension mount. The corrosion-resistant 5" x 5" reinforced extension arm attaches to the base of the backboard and to the outer perimeter of the frame allowing for the preferred "clear view" style. Upper brace arms are provided for maximum stability. The Pressure Breakaway Goal attaches directly to the extension arm so it will withstand the weight of even the most aggressive slam dunks.

○ Limited Lifetime Warranty

With over five decades of experience manufacturing elite sports equipment and great customer service to help you identify and solve problems, we stand behind our systems and guarantee a lifetime of dunks. Replacement parts are always readily available, so you never have to miss a minute of playtime.

F//5™ FIXED SERIES



5' EXTENSION



655 MAX

CLEARVIEW
42" x 60" BACKBOARD

POLYCARBONATE (Item # 69562)
GLASS (Item # 69560)



656 MAX

CLEARVIEW
42" x 72" BACKBOARD

POLYCARBONATE (Item # 69574)
GLASS (Item # 69572)



655 STEEL

42" x 60" BACKBOARD

STEEL (Item # 69565)

Recreational Basketball Systems

○ Douglas Super-Six™

The classic Douglas Super-Six™ system is an institutional grade basketball system offering a six foot extension arm for the maximum safe-play area. The system features a simple, easy-to-install three piece design that allows for minor adjustments in height and squareness to the playing surface. Plus, the unique top-cap pole design is durable and offers increased safety.

The Super-Six™ is constructed from 4" square structural steel with a 3/16" wall thickness. The steel pole and extension are finished in an attractive black acrylic powder coat to prevent chipping and provide the ultimate corrosion protection against the elements. The Super-Six™ system includes the pressure flex breakaway goal which features a 5/8" thick, 18" steel rim with a powder coat finish. The goal offers a pressure flex breakaway mechanism that is enclosed in a steel cover. The rigid rim mounts through the backboard and directly to the extension arm for maximum safety and excellent rebound. Choose from a 42" x 60" acrylic backboard or a 42" x 60" steel backboard. System is a standard in-ground direct bury installation, no ground anchor is needed.



○ Gooseneck Basketball Systems

Poles are formed from heavy wall galvanized steel for superior protection against weather elements. Each post is approximately 13' tall, with 3' to be installed in a 4' x 2' concrete footing to ensure long-lasting post stability. All posts contain a backboard mounting plate welded to post end for hassle-free attachment to most backboards. 5-9/16" and are comprised of Schedule 40 steel, providing unmatched strength and durability to the units. Optional custom outdoor weather resistant pole pads are available. Standard in-ground installation.

Pole Options:

3-1/2" OD with 3' Extension, 10-Year Limited Warranty (Item # 39180T)

4-1/2" OD with 4' Extension, 25-Year Limited Warranty (Item # 39180)

5-9/16" OD with 6' Extension, Limited Lifetime Warranty (Item # 39180M)



3.5 FAL (Item # 69435)
3.5" OD pole, Fan Shaped Aluminum Backboard and BG-2 Goal

3.5 FST (Item # 69436)
3.5" OD pole, Fan Shaped Steel Backboard and BG-2 Goal

4.5 FAL (Item # 69440)
4.5" OD pole, Fan Shaped Aluminum Backboard and Dura Goal I


4.5 FST (Item # 69441)
4.5" OD pole, Fan Shaped Steel Backboard and Dura Goal I

4.5 RST (Item # 69442)
4.5" OD pole, 42" x 60" Steel Backboard and Dura Goal I

4.5 RPGR (Item # 69443)
4.5" OD pole, 42" x 60" Acrylic Backboard and Pressure Flex Goal

5-9/16 RST (Item # 69450)
5-9/16" OD pole, 42" x 60" Steel Backboard and Dura Goal I

5-9/16 RPGR (Item # 69451)
5-9/16" OD pole, 42" x 60" Acrylic Backboard and Pressure Flex Goal



Replacement Backboards & Goals

Backboard Options



FST: Fan Shaped Steel
(Item # 39165)
38" x 55" Fan-Shape Steel backboard has a 12 gauge steel shell with white powder-coat finish and printed target and border. Keyhole slots are positioned at 20" vertically by 35" horizontal centers for mounting. Has reinforced mounting points, including (2) safety mount holes which reduces vibration. Compatible Mounting: Ceiling and Wall Mounted systems, Gooseneck and Straight-Arm Posts. 5" x 4-1/2" Hole Spacing. 10 Year Limited Warranty.



FAL: Fan Shaped Aluminum
(Item # 39166)
36-1/2" x 54" Fan-Shape Aluminum Backboard is constructed of casted aluminum with a white powder coat finish and a printed target and border. Has 20" x 35" mounting centers for attaching board to structure. The backboard features 12 reinforced mounting points to hold the backboard in place. 5" x 4-1/2" Hole Spacing. Limited Lifetime Warranty.



RST: Rectangular Steel
(Item # 39161)
42" x 60" durable Rectangular steel backboard has a 12 gauge steel shell with white powder-coat finish and printed target and border. Has integral reinforcing steel channel on reverse side for mounting and increased board support. Has 20" x 35" mounting centers for attaching board to structure. Capable for direct mounting with integral keyhole slots to permanently attach board to post and allow for goal replacement without removing board. 5 x 5 hole spacing. 10 Year Limited Warranty.



RPGR: Rectangular Clear Acrylic
(Item # 39110A)
42" x 60" Rectangular clear acrylic backboard. 3/8" thick shatter proof clear acrylic is fade resistant and will never fog or cloud. The acrylic is also highly resistant to scuffs and abrasions. Backboard is encased in an all aluminum frame, completely supported by a welded steel back frame. Has a standard 5" x 5" hole pattern. 2 Year limited warranty.

Goal Options

All goals are constructed of durable steel with a CSPC compliant powder-coat finish. Rims have a standard 5 x 5 bolt pattern. Goals are complete with net and hardware and offer an easy no-tie net attachment. A fixed rim is comprised of (4) basic components: ring, bracing, net attachment and back-plate. As you add rings, ring diameter and strengthen bracing – you are building a stronger rim. Fixed rims are not recommended on glass backboards.



Pressure Flex Breakaway Goal
(Item # 39661)
Goal is designed with challenges of outdoor elements in mind and offers durability and performance. Recreational breakaway goal will protect your backboard from the stress of heavy, unsupervised play and repetitive dunks. Features a 5/8" thick, 18" Steel Rim. Goal has an extended wing brace and a single spring flex breakaway mechanism enclosed within a steel cover. Hole spacing is 4-5" x 5". Includes nylon net. 2 Year Limited Warranty.



Dura Goal I
(Item # 39159)
Front mount Dura Goal I offers affordable and yet superior playground performance. 18" Double steel ring has a 5/8" top ring and 1/2" bottom ring. Rim has dual 5/8" x 15" bracing and a universal backplate. Fixed rims are not recommended on glass backboards. Includes nylon net. 2 Year Limited Warranty



Dura Goal II™
(Item # 39157)
Front mount Dura Goal II offers affordable and yet superior playground performance. 18" Double steel ring has a 5/8" top ring and 1/2" bottom ring. Rim has dual 5/8" x 15" bracing and a universal backplate. Includes chain net. 2 Year Limited Warranty



BG-2
(Item # 39158)
This Institutional fixed goal is affordable and yet offers superior playground performance. 5/8" thick, 18" steel rim. Single 5/8" x 15" support bracing. Includes nylon net. 2 year limited warranty

MAX Wall Mount Basketball Systems



W-35 Model
42"W x 60"H (Item # 39147)



W-36 Model
42"W x 72"H (Item # 39146)

The MAX wall mount adjustable basketball systems can be installed inside or outside. The weather proof system easily adjusts anywhere from 6' to 10' to accommodate even the youngest players.

The "clear view" backboards have an aluminum frame and are constructed from 3/8" thick tempered glass. The durable steel breakaway goal will protect your backboard from the stress of aggressive plays. Sleek backboard protective padding is included and pre-installed for your convenience.

The adjustable system has a 3' extension mount from wall to backboard allowing the goal to be adjusted from 6' to 10'. The goal's lift assist height adjustment features a height gauge and a stainless steel removable handle to prevent any unwanted tampering. The support frame is constructed from black powder coated steel for ultimate weather protection.

10 Year limited warranty.

Douglas® Indoor Wall Padding



Indoor wall padding is ideal for applications such as school gym walls, basketball court walls, wrestling rooms, daycares, home sport courts and much more! Protective padding adds safety for players and prevents any potential injuries. Custom padding is made to your specifications with a maximum individual panel size is of 8' high X 4' length.

Padding is custom fabricated with 2" thick high-impact foam and then wrapped in durable long lasting 14 oz solid vinyl. The flame resistant vinyl covering meets the strict state of California Fire Marshall requirements. All gym wall pads are backed with 3/4" thick plywood for direct wall attachment by either a z-clip or a 1" lip installation method.



Standard Colors. Additional Colors available on page 44.



Custom Graphics

Our vinyl fabrics can be digitally printed with our high-quality UV digital printing process. Our elite printing process allows us to print directly on our material. Your investment will not crack peel or tear like vinyl decals. Our digital printing allows for more detailed multi-colored capabilities and has a quick turnaround and greater accuracy.



Douglas® Outdoor/Sand Volleyball



Adjustable Channel
Extra heavy-duty outdoor power volleyball system

Steel Volleyball Systems



Aluminum Volleyball System

(Item # 65350)

This elite outdoor Aluminum Volleyball system offers the ultimate durability and weather resistance and can be used for either grass or sand courts. Ultra strong posts are 4" square extruded structural aluminum and are 10'6" in length. System has excellent bend resistance and is 100% rust proof. All metal parts are finished with a black polyester powder coat for maximum weather resistance. System is only 100 lbs.; approximately one-third the weight of steel systems. Square poles feature a continuous structured channel, so there are no external pressure points to damage the post's finish. The built in channel allows for easy net height adjustment for official play. Smooth operating reel attaches in the built in channel and is constructed from heavy-duty steel and has a removable handle. System includes the VB-1200 power volleyball net. Posts can be permanently placed in the ground or installed with optional seamless 24" aluminum ground sleeves for a semi-permanent installation. System can also be installed for sand volleyball with the 36" Aluminum Ground sleeves.

24" Aluminum Ground Sleeve (GS-24SQ) (Item # 65280)

36" Aluminum Ground Sleeve (GS-36SQ) (Item # 65270) Includes collars for sand volleyball installation



(Item # 65270)

VBS-3.5SQ

(Item # 65250)

Top of the line steel volleyball system is built for prolonged outdoor use. Strong posts are 3-1/2" square steel with a 3/16" wall thickness. Poles are 12' in length, allowing 42" direct burial into concrete footings. Ultra strong posts have a lifetime guarantee from bending. All metal parts are finished with a black polyester powder coat for maximum weather resistance. Net collars are adjustable, allowing for easy height adjustment for official play. Smooth operating reel is constructed from heavy-duty steel and has a removable handle. System includes the VB-1200 power volleyball net. Posts can be permanently placed in the ground or installed with optional seamless 42" steel ground sleeves for a semi-permanent installation.

42" Steel Ground Sleeves (GS-42SQ) (Item # 65275)



(Item # 65275)

VBS-3SQ

(Item # 65200)

Durable steel volleyball system is built to withstand outdoor abuse and can be used for either grass or sand courts. Strong posts are 3" square steel with a 1/8" wall thickness. Poles are 10' 6" in length and have a lifetime guarantee from bending. All metal parts are finished with a black polyester powder coat for maximum weather resistance. Net collars are adjustable, allowing for easy height adjustment for official play. Smooth operating reel is constructed from heavy-duty steel and has a removable handle. System includes the VB-1200RB power volleyball net. Posts can be permanently placed in the ground or installed with optional seamless 24" aluminum ground sleeves for a semi-permanent installation. System can be installed for sand volleyball with the 36" Steel Ground sleeves.

24" Aluminum Ground Sleeves (GS-24SQ/AL) (Item # 63172)

36" Steel Ground Sleeves (GS-36SQ) (Item # 63422B) Includes collars for sand volleyball installation



(Item # 63172)

(Item # 63422B)

○ Accessories

Official Antenna

(Item # 35522)

With Pockets (Item # 35520)

Fiberglass antennas with vinyl boundary tape.

Laces tightly to the net. Measures standard 6'.



Boundary Lines

1" Blue Webbing (Item # 35110)

2" Black Webbing (Item # 35112)

Outdoor boundary lines are perfect for sand or grass play and are adjustable to FIVB standards. Sets include four 10" ABS corner stakes with bungee cord attachments, and durable plastic buckles that allow for proper adjustment to court boundary; is easy to use and designed for long-lasting use. Choose from blue 1" webbing or black 2" webbing.



Volleyball Post Padding

(Item # 25100)

Wraparound post pads measure 3'8" wide x 6' high. Pad is secured around pole with double stitched velcro straps. 2-inch thick high impact foam padding is wrapped in black all-weather vinyl. Material is mildew and UV resistant. Pads are universal.

○ Volleyball Nets

Nets are 32' length and meet USVBA standards. Black netting is 3.0 mm in standard 4" square. Perimeter bands are constructed from 2.5" wide 20 oz white vinyl. Nets are braced with fiberglass dowels. Top cable is 41' in length and is vinyl coated steel with a 3600 lb break strength. Cable ends are double pressed for strength.

VB-1200 (Item # 25014)

Net measures 36" in height. Bottom band has a 38' steel cable with a 2400-lb. break strength.

VB-1200RB (Item # 25013)

Net measures 36" in height. 6 mm Rope in bottom net band.

VB-1500 (Item # 25015)

Net measures 39" in height. Bottom band has a 38' steel cable with a 2400-lb. break strength.

VB-1500RB (Item # 25016)

Net measures 39" in height. 6 mm Rope in bottom net band.



○ VB6000 Indoor Volleyball System (Item # 35820)

Complete System Includes:

- 3.5" OD aluminum upright poles
- Floor sleeves and swivel brass cover plates
- Competition volleyball net
- Antennas and safety pads

Options:

- Indoor Referee Stand (Item # 35824)
- Referee Stand Padding (Item # 35825)

Durable and extremely versatile aluminum volleyball system offering the most complete line of net sports all within just one system. Meets USVBA, NCAA and NFHS competition specifications. With easy to use slide collars, the net is infinitely raised and lowered from men's height to tennis and anywhere in between within a matter of minutes. Unique pin-lock mechanism allows posts to adjust to Men's (7'11-5/8"), Women's (7'4-1/8"), and Junior's (7') net heights. The 3-1/2" OD lightweight high strength aluminum post with anodized finish is designed for the facility requiring a product that will withstand years of abuse and always provide dependable performance. Bottom of uprights feature adjustable, non-marking pads. 10 year limited warranty on uprights and 3 year limited warranty on winch assembly, floor sleeves and covers.



Douglas® Unicourt™

○ Customize your court with high quality USA manufactured components from Douglas®


Court layouts may be designed for a space as small as 25' x 25' or even smaller by special design. Unicourt™ provides highly competitive sports activities for people of all ages.

Put the Unicourt™ net up and play tennis, pickleball, volleyball or badminton or take the net down and play basketball, no-goal soccer and floor hockey.




○ Combination Basketball Suggested Layout 1

- Fence System with Rebounder option
- D-Pro™ MAX Adjustable Basketball
- In-Line Adjustable Net System
- Extension Light System
- Unicourt™ Net




○ Single Basketball Suggested Layout 2

- Fence System with Rebounder option
- Adjustable Net System
- D-Pro™ MAX Adjustable Basketball
- Extension Light System
- Unicourt™ Net



○ Dual Basketball Suggested Layout 3

- Ball Containment Fence System
- Adjustable Net System
- (2) Pro™ MAX Adjustable Basketball
- Extension Light System
- Unicourt™ Net



○ Adjustable Net Systems

These systems offer the versatility to easily adjust the net anywhere from ground level to 8' on the pole allowing play for a variety of court sports. Both aluminum and steel systems have a black baked-on polyester powder coat finish. This durable finish adds resistance to chipping and the ultimate weather protection against the elements. Both systems include the Reel-1 net tensioning hardware. This rugged net tensioning reel case and gears are constructed from heavy duty steel. This simple reel assembly is easy-to-use and has a smooth operation. Handle has a comfortable contoured grip and is removable to prevent any unwanted tampering. The net can easily be removed for any open court play. The Unicourt™ multi-purpose net and ground sleeves are sold separately.

○ Aluminum

Adjustable Net System (Item # 68127S)
Ground Sleeve (SGS-24SQ) (Item # 68152AL)
 With the Douglas® Aluminum Adjustable Net System you simply move the net pulleys and open eye hooks to the desired location within the continuous structured post channel. The built-in structured channel allows for quick and easy net height adjustments. This solid system is constructed of 4" square extruded structural aluminum that has excellent bend resistance and is 100% rust proof. Poles are 10'6" high and the complete system is only 150 lbs.; which is half the weight of a comparable steel system. All post hardware is included. The Unicourt™ net and ground sleeves are sold separately



○ Steel

Adjustable Net System (Item # 68251C)
Ground Sleeve (SGS-42SQ) (Item # 68150AL)
 With the Douglas® Steel Adjustable Net System you simply adjust the collars anywhere from ground level to 8' on the post. Steel poles are 3.5" square tubing with a 3/16" wall thickness. The multipurpose net system includes all hardware including (8) collars for height adjustments. The steel system can be used with the in-line light system option.



In-line Adjustable Net System

Aluminum In-Line System (Item # 68253)
Ground Sleeve (SGS-245Q) (Item # 68152AL)

Steel In-Line System (Item # 68251C)
Ground Sleeve (SGS-425Q) (Item # 68150AL)

The In-Line adjustable net system allows court design versatility by allowing the D-Pro™ adjustable basketball systems to be installed on the side of the court and used as part of the adjustable net system. The in-line system includes the wind-up post from the adjustable net system, d-rings and self drilling screws. The Unicourt™ net is sold separately. Choose from 3.5" square steel with 3/16" wall thickness or 4" square aluminum. Adjustable collars (steel) or in-line open eye hooks (aluminum) allow for the net to be adjusted from ground level to 8'. This setup offers the same versatility as the standard adjustable net system.



Unicourt Nets

High quality Unicourt™ nets are made of 1-3/4" square mesh in 3 mm heavy-gauge netting making it unsurpassed for durability and weather resistance. The headband is lock-sewn in a 2 ply vinyl coated polyester. Vinyl bottom tape and side pockets are also polyester based and won't shrink, mildew or rot when exposed to the elements. The net comes complete with side dowels and (4) bungee cords for installation. Nets measure 34' high and are available in (4) standard widths or are custom made to the width of your court. To determine net length, subtract 4' from the distance between the posts.

Light Systems

Extend the available play time of your court by adding the Premium LED light system. The LED Systems feature (2) 100 Watt LED Floodlights with 13,500 delivered lumens per light fixture and 5000K light color ensures a bright clear light. High strength aluminum housing make this an industrial grade quality and is built to last. Unit is waterproof for all weather conditions. Backed by a 5-year warranty. Choose from an in-line or standalone light system. Both installation options are finished with black polyester powder coat for maximum weather resistance.



Standalone Light System

Standalone Pole System (Item # 68517)

Ground Sleeve (SGS-425Q) (Item # 68150AL)

The standalone pole is constructed from 3.5" square steel and top pole is 3" square steel. The installed light height is approximately 17' above ground.

In-Line System (Add-On) (Item # 68513)

This "In-Line" system is to be used as an extension to the steel adjustable net system. The extension system includes a 3" square x 10'6" steel light pole with collar, extension arm and light fixtures with lamps and fits into the top of a steel 3.5" square x 12' adjustable net system pole.



Custom Fence System (Item # 68998)

Designed for ball containment with a more subtle and attractive appearance than standard chain-link fencing, these "soft" fence systems are the perfect addition to any court. The framework is made from 1.9" OD 16-gauge black powder-coated steel. The net is sewn from heavy-duty #420, 1-1/2" square black netting. The standard fence height is 6' or 10' (please refer to your local building codes to determine your site's height limitations). Rebounders (shown above) can be incorporated within the fence design. The system includes all fittings, weather treated netting, lacing cord and PVC ground sleeves.

Free Standing Fence System (Item # 68330)

This system is a standard size, free standing version of our fence system and includes all framework, fittings, netting and installation accessories. System measures 5' high, 30' wide and has (2) 10' wings for the sides of the court.



Rebounders

10'H x 10'W (Item # 68304B)

10'H x 20'W (Item # 68300B)

Add a standalone rebounder to your court or incorporate the rebounder into the custom fence system. The rebounder frame is constructed of 1.9" 16-gauge black powder-coated steel and measures 10' high x 10' or 20' wide. The net is sewn from black heavy-duty #420 pylon, 7/8" mesh netting. This knotless netting has a 125 lb break strength and is weather treated to withstand moisture and sunlight. Netting is reinforced with a double sewn 1-1/2" wide vinyl tape border. Brass grommets are evenly spaced for securing the net to the frame with the provided bungee cords. A white webbing strap to set a realistic tennis net height and vinyl bottom ball retainer is included. Complete unit includes fittings, adjustable straps, black bungee cords, vinyl ball retainer, rebounder net and PVC ground sleeves.



D-Pro™ MAX Adjustable Basketball Systems

Choose from (3) standard units to meet your needs. Features include completely welded components for uncompromised strength and durability, and a superior mounting system for ease of installation and relocation. The D-Pro™ series comes complete with a tempered glass backboard, Pressure Flex™ Goal, backboard padding and pole padding.

See page 26 for more specifications and pictures

Soccer

Pro Soccer Goals, 4" Round

Official size: 8'H x 24'W x 3'D x 9'B (Item # 37800)

These classic soccer goals are built to withstand the rigors of high-level high school or collegiate play. Official-size goals measure 8'H x 24'W x 3'D x 9'B and meet NFSHSA, NCAA and FIFA specifications for regulation soccer play.

Strong, Front face frame is constructed of 4" tubular aluminum with a white powdercoat finish. Backstays are 2" round powder coated aluminum and rear crossbars are made from 2" galvanized steel for exceptional support and balance. Frame has a built-in net clip track for easy net installation. Includes durable 4 mm white nets and net clips to secure to track. Ground anchors are included to lock down the netting. Sold per pair.



Round Design Showing Net Clip Track



Ground Anchor Attachment



Optional Wheel Kit for easy mobility



Club Portable Soccer Goals, 3" Round Aluminum

8'H x 24'W x 3'D x 8.5'B (Item #37810)

7'H x 21'W x 3'D x 7.5'B (Item #37811)

6.5'H x 18.5'W x 2'D x 7'B (Item #37812)

6.5'H x 12'W x 2'D x 7'B (Item #37813)


4.5'H x 9'W x 2'D x 4.5'B (Item #37814)

4'H x 6'W x 2'D x 4'B (Item #37815)

Durable aluminum construction withstands rough weather and the repeated impact of shots on goal. 8' x 24' model meets NFSHSA specifications. Front face is made from 3" round custom aluminum extrusion with a durable white powder coated finish. Backstays are constructed of 2" round heavy wall aluminum tubing. Frame has double-reinforced, TIG-welded corners and stainless-steel hardware. The included 4 mm white nets install easily with the frame's built-in net clip track and net clips. Ground anchors keep the goals in place during windy conditions and powerful kicks. Goal is available in a variety of sizes to accommodate players of all skill levels. Back bottom bar is included with 24', 21' and 18.5' wide models. Sold per pair. Systems included net, net clips and ground anchors.



Round Design Showing Net Clip Track



Net clip track in front face frame



Net Clip Track in Top and Side Frames



Heavy-wall backstays

Foldable/Portable Indoor Goal



Complete Goal (Item # 37430)

Replacement Net (Item # 37431)

Portable indoor Soccer Goal is ideal for practices, tournaments or recreational play. Frame measures 6.5' high x 12' wide and 5' deep. The goal goes up quickly and is easy to reposition and transport. Backstays fold inward and encourages compact storage and portability for indoor soccer. Face frame is 2" square, white powder-coated steel that can withstand a barrage of hits. Soccer net is made up of durable 3 mm white polyethylene netting. Non-marking floor pads on all four contact points of the frame ensure gym floors stay unmarked. Sold as a single goal with net.




○ Soccer Nets



Durable, replacement polyethylene soccer goal nets. Nets are available in 5 mm braided polyethylene or 4 mm twisted knotted polyethylene. 5 mm braided nets are available in either white or orange.


Item #	Size				Material	Color
	Height	Width	Top Depth	Bottom Depth		
37080	8'	24'	5'	10'	5 mm braided polyethylene	White
37081	8'	24'	5'	10'	5 mm braided polyethylene	Orange
37082	8'	24'	3'	8.5'	4 mm twisted knotted PE	White
37083	7'	21'	3'	7.5'	4 mm twisted knotted PE	White
37084	6.5'	18.5'	2'	7'	4 mm twisted knotted PE	White
37085	6.5'	12'	2'	7'	4 mm twisted knotted PE	White
37086	4.5'	9'	2'	4'	4 mm twisted knotted PE	White
37087	4'	6'	2'	4'	4 mm twisted knotted PE	White



○ Soccer Accessories



Wheel Kit for Portable Soccer Goals (Item # 37835)
Easily move your portable soccer goals with this add-on wheel kit. Attaches to any backstay up to 2" OD. Kits are sold in sets of (2) wheels. Two sets are required for a pair of goals.



Velcro Soccer Net Straps (Item # 37839)
16" (3" and larger items)
Hook and loop soccer net straps keep netting in place. Constructed with hook-and-loop closures, the straps adjust to wrap around different-size poles, and they easily pull apart when it's time to change the netting or take the soccer goals down at the end of the season. With a set of 24 straps, teams can secure all angles of the net on each end. Hook-and-loop design is easily adjustable to fit different poles. White design coordinates easily with any color goal and doesn't stand out. Sold in sets of 24 pieces.



Twist-in Net Hooks (Item # 37838)
White plastic net hooks twist-in and secure net to soccer goals. Sold in a set of (50) quantity.



In-Ground Anchors (Item # 37836)
12" long; 2" OD galvanized steel. (4) anchors per goal required.



○ Douglas' Complete Netting Systems (Item # 67200)

Complete your facility with Douglas' permanent netting systems that are designed to stop balls, prevent property damage and provide player and spectator safety. All systems include high-quality netting, poles, and all the hardware needed for a complete installation. These netting systems are ideal for multi-sport facilities where multiple games or practices are going on simultaneously. Systems are designed to meet your specific needs and can be custom fabricated to virtually any size.

Permanent Netting Systems come with everything you need including heavy-duty steel poles, netting, high-tension cable and hardware. Permanent systems are great for baseball/softball protective netting as well as barrier netting for multi-sport facilities. Any height can be accommodated up to 40' and custom sizes are available.

Quality outdoor netting is UV and weather resistant and is custom made for your project and application. Choose from various netting mesh sizes including 1-3/4" SQ Mesh, 1-1/2" SQ Mesh, 4" SQ Mesh and also 7/8" SQ Mesh.


Hockey

Hockey Goal Nets and Accessories

NHL Professional, 6 mm Resin Coated (HN-600R) (Item # 39234)

Professional, 5 mm (HN-500) (Item # 39225)

High quality knotless woven polyester netting in 2-1/2" stretch diamond mesh. Nets fit professional style goal frames, 6' wide x 4' high with a 44" depth. Complete with lacing cord to secure net to frame. Choose from (2) grades.



The Rec Net

(HG-300) (Item # 39202)

Great for highest level adult play -Rinks, leagues, schools, YMCA, etc. Frame opening measures 72"W x 48"H and has a 40" base depth and a 19" top shelf. The wide radius base flares out, it's not just 'rounded'. Uprights and crossbar are constructed of high quality 2" OD .109" thick galvanized steel. Front frame is powder coated red for a durable long lasting finish. Frame has a full perimeter welded lacing z-bar -no lacing around goal face or base is needed. Locked frame is tightly bolted together with grade 8 bolts. Includes a custom trimmed NHL netting for easy installation. 6 mm thick white netting is durable UV treated knotless nylon with a 1-1/2" mesh size. Base skirt is included. Some assembly needed. Sold individually as a single goal.



Net Protector (Item # 39205)

Fits professional style goal frames. Measures: 6" x 13'6". Made of heavy-duty polyester with lacing eyelets every 6". Lacing cord is included.



Lacing Cord

HNLC (Item # 39230)

Multi-use braided nylon twine with 415 lbs break strength. Approximately 230' per one pound tube.

Goal Frame Padding


Bottom Pad (HGP-B) (Item # 29205)

Top Center Pad (HGP-TC) (Item # 29214)

Back Support Pad (HGP-BS) (Item # 29208)

Top Pad (HGP-T) (Item # 29211)

Wrap your hockey goal frame with durable padding and improve player safety. Lightweight padding fits professional style goal frames, 6' wide x 4' high with a 44" depth. Padding is wrapped in 18 oz bright white vinyl that is mildew resistant. Padding is double stitched and built to withstand the toughest environments. Bottom pad has evenly spaced grommets and comes complete with lacing cord to secure to frame. All other pads have sewn velcro and buckles for easy installation.



Professional Hockey Goal Package

(Item # 39200)

Professional NHL Hockey Goals meet NHL specifications. Frame opening measures 4'H x 6'W and has a 44" depth standard (also available in 34" and 40"). Constructed from 2-3/8" OD schedule 40 steel. Frame is powder coated red and white with a durable long lasting finish. Sold per pair. Includes goal frames, 6 mm resin coated nets, net protectors, and pads for bottom and back post. As seen in NHL.

Transporter for Professional Hockey Frame

(Item # 39209)

Designed to effortlessly move the Professional Hockey Frame. Utilizing (3) caster wheels this multi-directional transporter moves in any direction. Goal can be positioned to move through narrow openings. Easily take the net where you need to and get the job done quicker.



Street Hockey Goal

(Item # 39204)

Regulation size goal is durable and lighter weight. Frame opening measures 72"W x 48"H and has a 33" base depth and a 15" top shelf. Goal is truly portable with the instant "Quick Cable" system which allows the goal to be stored just 6" high in just seconds. Goal is ideal for ice or deck, driveway, street, or pond action -It's slap shot and weather proof. Uprights and crossbar are constructed of high quality 1-3/8"OD .065" thick galvanized steel. Front frame is powder coated red for a durable long lasting finish. Locked frame is tightly bolted together with grade 8 bolts. 6 mm thick white netting is durable UV treated knotless nylon with a 1-1/2" mesh size. Base skirt is included. Some assembly needed. Sold individually as a single goal.

Douglas® Hockey Netting



1-1/2" Mesh

1-3/4" Mesh

○ #420 Knotless Pylon

This lightweight, pylon netting is great for divider netting and low impact barrier protection. #420 Knotless Polypropylene (Pylon) is 1-1/2" square mesh and has a 125# break strength. Choose from Black or White. Black is weather treated to withstand moisture and sunlight. Natural white netting is for indoor use only. Netting can be finished with a rope or vinyl border. A rope border offers a simple and easy installation. The Vinyl edging provides the netting with added strength while keeping the nets shape. The reinforced, double stitched vinyl also gives the net a sharp appearance. Optional brass grommets can be added and are placed every 18".


2.0 mm; 1-1/2" SQ Mesh

Lightweight; 125 lb. break strength

Black, Tape Bound with Grommets (Item # 29102B)

Black, Rope Border (Item # 29102BR)

White, Tape Bound with Grommets (Item # 29102W)




○ Clear Monofilament Netting

1-3/4" clear monofilament square mesh netting. Thickness is 1.10 mm gauge with a 90 lbs break strength. Netting is reinforced with a 5/16" twisted polyethylene rope border.

1.10 mm; 1-3/4" SQ Mesh

Lightweight; 90 lb. break strength

Clear, Rope Border (Item # 39300)



○ Twisted Knotted Nylon

This high tensile strength black nylon netting is ideal for medium to high impact protective applications. Netting has been treated for UV and weather resistance. Netting is finished with a rope border which allows for a simple and easy installation. #30 Twisted knotted nylon is 1-1/2" square mesh with a 320# break strength.

#30; 1-1/2" SQ Mesh


Medium Weight, 320 lb break strength

Black, Rope Border (Item # 36099H)



○ Custom Protective Arena Padding

Custom made post and wall pads are available in high density foam 2", 3" or 4" thicknesses. Padding is covered in durable 18 oz vinyl in a wide selection of colors. For indoor or outdoor use.



Douglas® Ballpark Netting

1-3/4"
Mesh

○ #12 Knotted UHMPE Dyneema

Major league professional backstop netting provides maximum protection with maximum viewing. This strong netting is only 1.4 mm with a 94% visibility rate. Twisted knotted Dyneema is an ultra high molecular weight polyethylene (UHMPE). Material is treated for maximum UV and weather resistance. Netting perimeter is finished with a 1/4" solid braid sewn rope border. Rope border has 1,500 lb break strength.

1-3/4" SQ Mesh

Medium weight, 308 lb break strength; 94% visibility
(Item # 26012)



○ #42 Knotted Ultra HDPE

Premium Twisted Knotted Ultra High Density Polyethylene is made with specialized treatment to provide the strength of nylon with the UV and weather resistance of polyethylene. This high impact backstop netting is 2.4mm thick with a break strength of 392 lbs. Netting perimeter is finished with a 1/4" solid braid sewn rope border. Rope border has 1,500 lb. break strength.

1-3/4" SQ Mesh

High Strength, 392 lb. break strength
(#26142)



○ Twisted Knotted Nylon

This high tensile strength black nylon netting is ideal for medium to high impact backstop and protective screen applications. Outdoor netting has been treated for UV and weather resistance. Netting is finished with a rope border which allows for a simple and easy installation.

1-3/4" SQ Mesh with Rope Border

LIGHT WEIGHT

#21 Black 237 lb. break strength (Item # 36099A)

MEDIUM WEIGHT

#36 Black 345 lb. break strength (Item # 36099B)

HEAVY WEIGHT

#42 Black 435 lb. break strength (Item # 36099C)

#48 Black 472 lb. break strength (Item # 36099D)

#60 Black 720 lb. break strength (Item # 36099E)

#72 Black 862 lb. break strength (Item # 36099G)

#96 Black 1,112 lb. break strength (Item # 36099F)



○ Knotless Polypropylene HTPP


This premium high tenacity Polypropylene (Pylon) netting offers the most longevity and durability. Pylon netting is ideal for high impact backstop and protective screen applications. Outdoor netting is treated and extruded through the fibers for maximum weather and UV resistance. Choose from black or dark green. Netting can be finished with a rope or vinyl border. A rope border offers a simple and easy installation. The vinyl edging provides the netting with added strength while keeping the nets shape. The reinforced, double stitched vinyl also gives the net a sharp appearance. Optional brass grommets can be added and are placed every 18".

3.0 mm; 1-3/4" SQ Mesh

Medium Weight, 250 lb break strength



Black, Sewn Rope Border (Item # 22260R)

Black, Tape Bound with Grommets (Item # 22260)



○ Douglas® Backstop Systems

The Douglas® Backstop Netting Systems are available with or without poles and provide a complete professional looking backstop setup. Take the guess work out of setting up your own backstop system and get a complete kit with all of the cable, hardware and custom netting that you need for your unique facility. Choose from the Standard Cable System (Pole-to-Pole) or the Suspended Cable System (Tie-Back) which provides more of a unobstructive view. See page 21 for more information on these systems.






7/8" Mesh

1" Mesh

Golf

- **Prefabricated Knotted PE Barrier Netting**
This lightweight, prefabricated polyethylene netting is sold in 25' x 100' rolls. Netting is for low impact barrier protection and is great for golf range applications. 1" square mesh has a 60# break strength and is only available in black. Outdoor netting has been treated for UV and weather resistance. Roll is reinforced with a 1/4" rope border.

1" SQ Mesh Knotted PE Black
Light Weight; 60 lb break strength
25' x 100' with Rope Border (Item # 36001)




- **#18 Twisted Knotted Nylon**
This high tensile strength black nylon netting is ideal for medium to high impact backstop and protective screen applications. Outdoor netting has been treated for UV and weather resistance. Netting is finished with a rope border which allows for a simple and easy installation. #18, Twisted knotted nylon is 7/8" square mesh with a 194# break strength.

1" SQ Mesh
Medium Weight; 194 lb break strength
Black, with Rope Border (Item # 36098)




- **#24 Twisted Knotted Nylon**
This high tensile strength black nylon netting is ideal for high impact backstop and protective screen applications. Outdoor netting has been treated for UV and weather resistance. Netting is finished with a rope border which allows for a simple and easy installation. #24, Twisted Knotted Nylon is 3/4" square mesh with a 270# break strength.

3/4" SQ Mesh
Heavy Weight; 270 lb break strength
Black, with Rope Border (Item # 36098B)



- **#420 Knotless Pylon**
This lightweight, pylon netting is great for divider netting and low impact barrier protection. #420 Knotless Polypropylene (Pylon) is 7/8" square mesh and has a 125# break strength. Choose from Black, Green or White. Black and green styles are weather treated to withstand moisture and sunlight. Natural white netting is for indoor use only. Netting can be finished with a rope or vinyl border. A rope border offers a simple and easy installation. The Vinyl edging provides the netting with added strength while keeping the nets shape. The reinforced, double stitched vinyl also gives the net a sharp appearance. Optional brass grommets can be added and placed every 18".


7/8" SQ Mesh
Light Weight; 125# break strength
Black, Tape Bound with Grommets (Item # 26018)
Black, with Sewn Rope Border (Item # 26018R)
Dark Green, Tape Bound with Grommets (Item # 26019)
White, Tape Bound with Grommets (Item # 26018W)



4" Mesh Soccer/Football

- **Twisted Knotted Nylon**
This high tensile strength black nylon netting is ideal for medium to high impact backstop and protective screen applications. Outdoor netting has been treated for UV and weather resistance. Netting is finished with a rope border which allows for a simple and easy installation. #36 Twisted knotted nylon is 4" square mesh with a 352# break strength.

#36 Knotted; 4" SQ Mesh
(Heavy Weight; 352 lb break strength)
Black, with Rope Border
(Item #36099)



- **Premium Knotless Polypropylene HTPP**
This premium high tenacity Polypropylene (Pylon) netting offers the most longevity and durability. Pylon netting is ideal for high impact applications. 4" square mesh, Black 3.0 mm has a 250# break strength and is also available with a flame retardant. Netting is treated and extruded through the fibers for maximum weather and UV resistance. Netting is finished with vinyl edging which provides the netting with added strength while keeping the nets shape. The reinforced, double stitched vinyl provides a sharp appearance. Optional brass grommets can be added and are placed every 18".

3.0 mm; Knotless 4" SQ Mesh
Medium Weight; 250 lb break strength
Black, Tape Bound with Grommets (Item # 25803B)
Black with Sewn Rope Border (Item # 25803BR)



Douglas® Divider Netting

1-1/2"
Mesh

1-3/4"
Mesh

Create a barrier in between tennis courts for uninterrupted play with Douglas® high quality divider nets. Court divider nets are made from knotless pylon and custom fabricated to your facility's required dimensions. We provide both indoor and outdoor court divider netting. Black and green styles are weather treated to withstand moisture and sunlight. Natural white netting is for indoor use only. Kickplates are available for indoor application in either 12" high Solid Vinyl or 18" high VCP. Tape borders are double sewn with 1-1/2" reinforced solid vinyl. Heavy-duty brass grommets are spaced 18" along top (standard). Additional grommets may be specified. Standard heights are 10' or 12' and custom heights are available.




○ #420 Knotless Pylon

This lightweight, pylon netting is ideal for divider netting. #420 Knotless Polypropylene (Pylon) is 1-1/2" square mesh and has a 125# break strength. Choose from Black or White. Weather treated to withstand moisture and sunlight. Netting is finished with a vinyl border and provides the netting with added strength while keeping the nets shape. The reinforced, double stitched vinyl also gives the net a sharp appearance. Optional brass grommets can be added and are placed every 18".

1-1/2" SQ Mesh

Lightweight, 125 lb. break strength

Black, Tape Bound with Grommets (Item # 22009)
White, Tape Bound with Grommets (Item # 22005)



○ Premium Knotless Polypropylene HTPP

This Premium high tenacity Polypropylene (Pylon) netting offers maximum longevity and durability. Pylon netting is ideal for high impact applications. 3.0 mm has a 250# break strength and is available in Black, Dark Green or White. Netting is treated and extruded through the fibers for maximum weather and UV resistance. Netting is finished with a vinyl border and provides the netting with added strength while keeping the nets shape. The reinforced, double stitched vinyl also gives the net a sharp appearance. Optional brass grommets can be added and are placed every 18".

3.0 mm; 1-3/4" SQ Mesh

Medium Weight, 250 lb break strength

Black, Tape Bound with Grommets (Item # 22260)
Dark Green, Tape Bound with Grommets (Item # 22261)
White, Tape Bound with Grommets (Item # 22262)



○ Prefabricated Divider Panels

These prefabricated divider netting panels measure 10' x 60' and 10' x 65' and can be used indoors or outdoors. Netting in 1-3/4" sq mesh.



○ #18 Knotted HDPE

Netting panels are 10' x 60' and can be used indoors or outdoors. This high density Polyethylene (HDPE) netting offers maximum longevity and durability. Panels are constructed of black #18 knotted 1-3/4" sq mesh netting with a 125 lb break strength. This HDPE netting is ideal for low impact applications. Netting is treated and extruded through the fibers for maximum weather and UV resistance. Outside perimeter has a reinforced sewn rope border making it easy to hang.

1-3/4" SQ Mesh

Lightweight, 125 lb break strength

10' x 60' (Item # 32014)




○ #420 Knotless Pylon

This black lightweight, pylon netting is ideal for divider netting. #420 Knotless Polypropylene (Pylon) is 1-3/4" square mesh and has a 125# break strength. Netting is weather treated to withstand moisture and sunlight. Netting is finished with a vinyl border and provides the netting with added strength while keeping the nets shape. The reinforced, double stitched vinyl also gives the net a sharp appearance. Brass grommets are spaced every 18".

2.0 mm 1-3/4" SQ Mesh

Lightweight, 125 lb break strength


10' x 65' (Item # 32020)




○ Replacement Kickplates



VCP Mesh Kickplate
18" High with Velcro Top



Solid Vinyl Kickplate
12" High with Velcro Top



Netting Kickplate
24" High with Velcro Top



- Vinyl Court Signs
Constructed of 18 oz vinyl, perimeter is hemmed with grommets.
- Court Numbers (Item # 22204)
Numbers are from 1 through 20 and measure 9" H. Signs measure 12" x 12"
- Exit Sign (Item # 22202)
Red vinyl with white letters measuring 9" high. Sign measures 18"H x 36"L



Douglas® Backdrop Curtains / Gym Dividers

Add or replace your existing Gymnasium Divider Curtains with Douglas® quality. Divider curtains allow you to make the most effective use out of your facility by dividing a large open space into smaller sections for various sports and other events. Divider curtains provide safety, visual privacy and a sound barrier between spaces. Curtains can be custom fabricated with all solid vinyl, partial vinyl/partial netting or mesh. Solid vinyl backdrop curtains can also be installed around the perimeter walls of your facility to provide a visual backdrop for players and aesthetic appeal to onlookers.


All curtains are customized to your specifications and produced from the most durable materials available. Choose from heavy duty 14 oz or 18 oz vinyl in a variety of colors. Options for the top portion of divider panels are constructed of FR open weave white vinyl mesh or netting. Besteel 170 Series Walk-draw track systems are available for hanging the curtains. Tracks are constructed of 14 gauge galvanized steel in both suspended and direct mount installation options.



14 OZ. FR VINYL



18 OZ. FR VINYL



Material

Add or replace your existing backdrop curtains with Douglas® quality. Backdrop curtains are constructed of vinyl coated polyester that is mildew resistant and UV treated. Vinyl material meets California Fire Marshal requirements for flame resistance in indoor use. This strict code meets or exceeds most city requirements. Choose from 14 oz or 18 oz/square yard weights in a variety of colors. 18 oz is recommended for greater durability and life expectancy.

Dimensions

Heights of curtains generally range from 9' to 12' and custom heights are available to meet your needs. The maximum recommended length per curtain is 60'.

Fabrication

Seams are heat-sealed and reinforced hems are double sewn with lock stitching. Brass grommets are typically spaced every 12" on the top of backdrop curtains. The sides can be sewn with grommets or velcro to attach curtains together or without grommets to overlap curtains instead. Douglas can accommodate any special requirements such as placement of doorways, ventilation/viewing cut-outs with netting or mesh screen and divider wings.

Custom Printing

Our vinyl fabrics are digitally printed with our high-quality UV digital printing process. Our elite printing process allows us to print directly on our material so there's no white back side like other digital printing companies. Your printing and logos become part of the material. Your investment will not crack, peel or tear like vinyl decals. Our digital printing allows for more detailed multi-color capabilities and has a quick turnaround and greater accuracy.

Available Colors

Additional colors are available upon request.


*10 oz. White FR Vinyl is also available for High-Line Backdrop Curtains (to go above perimeter backdrop curtains)



Doors with Viewing Mesh Window



Viewing Mesh Window



Viewing Net Window





Accessories

Vinyl Court Signs

Constructed of 18 oz vinyl, perimeter is hemmed with grommets.

Court Numbers (Item # 22204)
Numbers are from 1 through 20 and measure 9" H. Signs measure 12" x 12"


Exit Sign (Item # 22202)
Red vinyl with white letters measuring 9" high. Sign measures 18"H x 36"L



Installation Accessories

Besteel 170 Series Walk-draw Track Systems (Item # 39500)

Available for hanging curtains, these tracks are constructed of 14 gauge galvanized steel in both suspended and direct mount installation options.



1/4" Cable, Galvanized (Item # 34728)
1/8" Cable, Galvanized (Item # 15102)
1/4" Cable Clamp (Item # 34725)
1/8" Cable Clamp (Item # 34726)
12" Turnbuckle (TB-12) (Item # 34724)
6" Turnbuckle (TB-6) (Item # 36986)
C-Snap, Black Plated Steel (Item # 32670)
C-Snap, Black Plastic (Item # 32675)
8 mm Spring Link (Carabiner) (Item # 36000)

5 mm Spring Link (Carabiner) (Item # 32679)
3" S-Hook, Steel (Item # 31663)
Beam Clamp (Item # 34729)
TR-50 7" Tie-raps (100/pkg) (Item # 31656)
TR-120 8" Tie-raps (100/pkg) (Item # 31657)
TR-50XL 14.5" Tie-raps (100/pkg) (Item # 31651)
TR-120XL 14" Tie-raps (100/pkg) (Item # 31655)
3/16" Polypro Braided Rope (1000'Roll) (Item # 31601M)
Pulley w/ Split Bracket (Item #34721)

Douglas® Custom Indoor Padding

Protective Wall Padding

Protect players with durable, Douglas® protective indoor wall padding and give your facility a professional look without compromising style.

Standard size indoor padding panels are 2' wide, 6' high and are 2" thick. Padding panels can be custom made per order with the maximum panel size being 4' wide by 8' high. Custom electrical and other cutouts can be met for a precise fit.

Indoor padding is custom fabricated with 2" thick high-impact polyethylene foam and then wrapped in durable long lasting 14 oz solid vinyl. The flame resistant vinyl is antibacterial, anti-fungal, rot and mildew resistant, and Fire Retardant to meet all standard fire codes including NFPA 701 and California Fire Marshall. All gym wall pads are backed with 3/4" thick plywood for direct wall attachment by either a z-clip or a 1" lip installation method.


The z-clip attachment style offers a clean finished look by utilizing a hidden aluminum channel on the back side of the gym wall padding. The z-clip channel is pre installed on the wall pads and the channel track for the gym wall is provided. Bolt hardware is not included.

The 1" lip top and bottom style has the wood backer extend 1" above and below the foam. With this method, the gymnasium wall pads are bolted directly to the wall through the 1" wood lip. Bolt hardware is not included.

Standard wall pads are available in forest green, black, royal blue, navy blue and red. Additional colors are available upon request.



14 OZ. FR VINYL



Z-Clip Attachment



1" Lip Top & Bottom Attachment


Custom Logo Padding

Our vinyl fabrics can be digitally printed with our high-quality UV digital printing process. Our elite printing process allows us to print directly on our material. Your investment will not crack peel or tear like vinyl decals. Our digital printing allows for more detailed multi-colored capabilities and has a quick turnaround and greater accuracy.



I-Beam Wrap Pads

Protective I-Beam Wrap Pads use a channel design to cover the front and sides of the I-beam's face and edges. Standard size panels are 6' high x 2" thick. Standard i-beam padding is custom made for up to a 12" wide beam face. The two inch thick high-impact polyethylene foam is wrapped in durable long lasting vinyl. The flame resistant vinyl is antibacterial, anti-fungal, rot and mildew resistant, and fire retardant to meet all standard fire codes including NFPA 701 and California Fire Marshall. Reinforced double sewn padding easily attaches with industrial adhesive velcro. Velcro is provided to adhere to backside of the i-beam face.




I-Beam Support



Custom Sewn Padding

Protective padding that is custom sewn to your specifications. Cushion tapered columns, i-beams, posts or whatever obstacles are in a facility. Durable double sewn padding is 2", 3" or 4" thick high-impact foam with no plywood backing. The high-impact foam is wrapped in durable long lasting vinyl. Flame resistant vinyl cover meets the state of California Fire Marshall requirements. Reinforced double sewn padding can be installed with grommets, velcro or glued on. Measurements and/or drawings must be provided when ordering.



Gym Floor Covers



Weight per Square Yard	18 oz.	21 oz.	26 oz.	32 oz.
Warranty	8-Year Warranty	10-Year Warranty	15-Year Warranty	17-Year Warranty
Flame Resistance - NFPA 701 California Fire Marshall	PASS	PASS	PASS	PASS
Recommended Usage	< 6 uses per year	6-12 uses per year	12-24 uses per year	> 24 uses per year
Available Colors	Tan/Gray, Dark Green, Open Tournament Blue	Tan/Gray, Dark Green, Royal Blue	Tan/Gray, Dark Green/Navy Blue	Tan/Gray, Dark Green/Navy Blue

STANDARD COLORS Other colors and weights are available upon request.



Tan/Gray



Dark Green



Open Tournament Blue



Dark Green/Navy Blue



Royal Blue

Mobile Storage Rack System

Mobile storage rack systems are an ideal solution for wrinkle-free storage of your gym floor cover sections. Storage racks offer a no-hassle installation and an easy, effective way to store your cover.

Racks are designed to hold up to 10' wide sections of vinyl floor covering. Systems can hold up ten rolls and are available with adjustable brackets to allow for larger or smaller diameter rolls. To change the rack's roll capacity, brackets and tubes can be added depending on need. The standard 2-1/2" diameter material storage tubes have cotter pins that keep rolls from unrolling while in transport and storage. Each rack comes complete with four or six smooth rolling 6" casters for easy maneuvering and safety. Racks are manufactured in the USA using steel tubing for all applications with a weight capacity of 3600 lbs. Racks are only 34" in width to allow entry through a standard doorway (11' long x 6' high). For ease of operation two handle manual aluminum hand crank is included. An optional power rewind system is available.



Reliable Protection

Douglas' Gym Floor Covers allow your gymnasium to be converted into an event area quickly and easily all while protecting your Gym Floor surface from unnecessary wear and tear. Most gymnasiums are also used for school dances, graduation ceremonies, concerts and other high foot traffic events. Douglas' durable Gym Floor Covers protect expensive gym floor surfaces from stains along with scuffs from shoes, chairs and tables.

All fabric options are antibacterial, anti-fungal, rot and mildew resistant, and Fire Retardant to meet all standard fire codes including NFPA 701 and California Fire Marshall.

Choosing the right Gym Floor Cover

The cover should meet your needs for strength, durability, general wear and tear and color choice.

To know which material is best for you, you'll want to consider two main factors: the type of events and the frequency of use.

For example, many facilities use their gym at least once a month for dances, concerts, trade shows and other events that require tables, chairs and other furniture. This calls for a cover with a high resistance to tearing and a thick, durable outer wear coating.

The cost of the cover may also be a consideration. In some situations, budget limitations can dictate the type of cover.



Tape and Dispensers

Gym Floor Cover Tape (Item # 39533)
Case of (16) Rolls 3" x 36 yards

Walk Behind Tape Dispenser (Item # 39534)

1-800-553-8907
douglas-sports.com



USA MANUFACTURER