



Douglas® Windscreen

 **douglas®**

Quality Sports Equipment for 45 Years!





Why Douglas Windscreens?

Quality

As the manufacturer, Douglas's attention to detail guarantees consistent craftsmanship and design. Our quality fabrication is unsurpassed in the industry.

Selection

Douglas® carries a full line of premium windscreen fabrics in polypropylene and vinyl coated polyester to meet your needs. Choose from a wide range of styles and colors.

Customization

Our Windscreens are custom made to your specifications and of course Douglas's meticulous reputation guarantees superior workmanship for a reliable finished product.

Service

Dependable customer service and fast lead times will get your job completed on time.



We carry a full line of sports equipment and custom products for Tennis, Baseball, Basketball, Volleyball, Soccer and Hockey.



Visit us online to view our full product line: www.douglas-sports.com
or contact us to receive a copy of our latest Catalog: 800-553-8907

Douglas® Custom Windscreens Which Material is Best for You?

Polypropylene -Durability

Available in OMP (Open Mesh) or CMP (Closed Mesh) material. 100% Polypropylene material is our most popular windscreen fabric. This low-maintenance material offers classic good looks, and highly durable performance. Douglas® polypropylene material is heat-set so your screens will never shrink or change shape. Weather and UV protection is extruded into every fiber of Douglas® Polypropylene windscreen for maximum performance and long life.



PolyPro™ Plus Premium

Fabric: 100% polypropylene;
OMP: Open Mesh - 28 x 14 leno weave
CMP: Closed Mesh - 30 x 16 leno weave


Windbreak: Open - 80%
Closed - 95%

Weight per square yard: Open - 6 oz.
Closed - 7 oz.

Tensile Strength: Open - 320 x 180
Closed - 420 x 225

Colors: Dark Green or Black

Warranty: 4-year limited



PolyPro™ Select

Fabric: 100% Polypropylene;
OMP: Open Mesh - 28 x 14 leno weave
CMP: Closed Mesh - 30 x 16 leno weave

Windbreak: Open - 75%
Closed - 86%

Weight per square yard: Open - 5 oz.
Closed - 6 oz.

Tensile Strength: Open - 250 x 170
Closed - 350 x 215

Colors: Dark Green or Black

Warranty: 4-year limited

Windscreen Features

For Strength and Durability, Douglas® windscreens feature these unmatched industry standards:




Figure 1: Extra-Strong Hems




Figure 2: Reinforcement Tape



Figure 3: Center Tab Hem




Figure 4: 4-Ply Hem

- Our extra-strong hems are constructed with 28 oz. vinyl inserts double sewn to 1-1/2" wide (Figure 1).
- Our Windscreens are available in standard 6' and 9' heights and in custom heights by quotation.
- All hems include #2 brass grommets spaced on 18" intervals.
- Any screen width is available; however, 60' is the maximum recommended width per panel.
- All 9' screens include Center Reinforcement Tape (CRT) with grommets for anti-billowing installation (Figure 2).
- Optionally, 9' screens may substitute a Center Tab hem construction (Figure 3) for anti-billowing installation.
- Optional 4-Ply hems (R) are constructed with an 18 oz vinyl overlay and #2 brass grommets spaced every 12" (Figure 4)

Optional Air Vents




AV (Item # 21001)
Die-cut and heat sealed air vents are available for vinyl-coated polyester screens only. Recommended for all VCP screens.



AVR (Item # 21002)
Reinforced air vents, installed at 10' intervals, are optional on all windscreens and are recommended for closed mesh screens and 9' high screens.

Vinyl Coated Polyester -Versatility

A very attractive and durable windscreen, VCP comes in a variety of colors and custom lettering and logos can be applied. VCP is resistant to water, salt, mildew and UV rays



DouraScreen

Fabric: 22% High tenacity polyester
78% Flexible foamed PVC
Open Mesh - 9 x 8 weave
Closed Mesh - 12 x 14 weave


Windbreak: Open - 80%
Closed - 95%

Weight per square yard: Open - 10 oz.
Closed - 12 oz.


Tensile Strength: Open - 170 x 155
Closed - 230 x 240

Colors: Dark Green or Black

Warranty: 4-year limited



New Color! Open Tournament Blue



VCP

Fabric: 50% vinyl, 50% polyester;
Open Mesh - 9 x 12 weave

Windbreak: Open - 80%

Weight per square yard: Open - 7 oz.

Tensile Strength: Open - 230 x 200

Colors: Dark Green or Black
Other Colors: Yellow, White, Royal Blue, Red, Purple, Orange, Navy Blue, Burgundy, Gray, Brown & Bright Green.

Warranty: 3-year limited

Logo Screens


DouraScreen and Vinyl Coated Polyester windscreen can display your logo, mascot or name.

We can apply your logo in your choice of different colors with fast, professional service. Contact us for more details.



Privacy Screen

Purchase by the Roll -- In Stock -- Same day shipment is available!



An inexpensive solution for:

Athletic fields, dugouts, bleachers, parks and recreation, construction sites/companies or any other location where shade or privacy is desired.

Lightweight material is tear resistant and will not unravel. Privacy Screen is UV stabilized –will not fade or deteriorate from natural elements. Material is also resistant to mold and mildew. Privacy Screen is purchased by the roll and can be cut-on-site. Rolls feature reinforced top and bottom sides for attachment to any fence with tie-raps. Rolls are also available with reinforced hems and grommets around the perimeter -contact us for pricing.



Purchase by the roll:

36924	44" x 150'	For 4' fence	24 lbs./Roll
36928	68" x 150'	For 6' fence	36 lbs./Roll
36932	92" x 150'	For 8' fence	50 lbs./Roll



Material Specifications:

- Construction:** 85 – 90% Knit Raschel
- Fiber Content:** 100% High Density Polyethylene
- Available Colors:** Dark Green, Black, Blue, Brown and Beige
- Warranty:** 4-Year Limited




Weathascreen

- 6'H x 120'L, Green (WS-72) (Item # 30006)
- 6'H x 120'L, Black (WS-72) (Item # 30006B)
- 9'H x 120'L, Green (WS-108) (Item # 30009)
- 9'H x 120'L, Black (WS-108) (Item # 30009B)

What makes Weathascreen so unique is its locked-spring knitted construction - IT'S NOT WOVEN! Weathascreen fabric is formulated of double-thick Monolon that's fray resistant. It distributes stress loads evenly, and is lightweight for easy storage and transportation.

- High tensile strength (15 times the tear resistance of woven cloth, won't unravel)
- Superior ultra-violet stability
- Resistant to abrasion, mildew, and chemicals
- Easy installation -No grommets necessary
- Reduces visual intrusion & helps eliminate glare
- Available in Dark Green or Black
- Purchase by the roll, 120' length
- Available in 6' or 9' heights



Installation Accessories

TR-50 (Item # 31650) 7" Tie wrap 50 lb. break strength with metal insert

TR120P (Item # 31657) Tie wrap 8", 120 lb. break strength with plastic insert

TR-50XL (Item # 31651) 14-1/2" Tie wrap 50 lb. break strength with plastic insert

SH-3 (Item # 31663) 3" galvanized "S" hooks

TR-50P (Item # 31656) 7" Tie wrap 50 lb. break strength with plastic insert

BNC (Item # 31600) Braided lacing cord 600' reels

TR-120 (Item # 31654) 8.5" Tie wrap 120 lb. break strength with metal insert

BLR (Item # 31601M) Braided lacing rope black poly 3/16" 1000' reels 550 lb. break strength

TR-120XL (Item # 31655) Extra long 14" Tie wrap 120 lb. break strength with plastic insert

C-3P (Item # 32675) 3" plastic C-snap



